Hireforce

TOOL & EQUIPMENT HIRE



www.hireforce.com



Our Values

Safety Led
Safety is our key priority. All equipment is supplied with comprehensive safety instructions and our Safehire accredited operations are regularly audited by industry safety experts. You can rest assured that by using Hireforce you are placing safety at the heart of your hiring.

Customer Focused
We recognise that every business has its own unique requirements and a one size fits all approach rarely works. We believe that Hireforce should fit around your business needs and will always go the extra mile to make this happen.

Trusted
We understand that it is vital for the smooth running of your operations that the correct equipment is delivered when and where you expect it. Hireforce is committed to a simple principle: we do what we say.

People Driven
Hire isn't just about the equipment. People make the difference when it comes to delivering 1st class service. By using Hireforce you can be sure that you are working with a committed, professional and friendly team.



Contents

Access	15
Powered Access	26
Building and Siteworks	34
Cutting and Grinding	43
Drilling	52
Breaking	58
Concreting and Finishing	62
Compaction	70
Generators and Welders	73
Woodworking and Finishing	77
Site Electrics and Lighting	86
Pipework and Engineering	92
Heating, Cooling and Drying	97
Cleaning and Decorating	104
Pumps	112
Gardening	115
Survey and Safety	122
Lifting	131
Plant	145
Welfare	154
Index	161


Breaking
Hireforce
Cutting
Hireforce
DURO
Hireforce
TOOL & EQUIPMENT HIRE

Start hiring from us right away…

Account Customers

Customers who open an account with Hireforce can use any of our depots and will also benefit from a nationwide hire service. Account holders will benefit from an approved credit limit, 30 days EOM trading terms and regular weekly/monthly invoicing. Please contact us for an account form or download one at www.hireforce.com

Subject to credit status and ID checks, we will aim to open your account within one business day or your application.

Cash

Non-account cash hires are immediately available via any of our depots subject to provision of a satisfactory proof of identity and payment of an agreed deposit by cash or card. Equipment can be collected from us or delivered to your door.

… and equip your business for success

Safety

All equipment is supplied with comprehensive safety instructions and undergoes a full inspection and service before every hire. Please ensure that you follow the safety guidance in full.

Service

Our staff are trained professionals with the experience and commitment to meet your hiring needs. Our team will do what it takes to find the right solution every time.

Quality

Hireforce only stocks modern professional equipment from major manufacturers with a reputation for reliability. We regularly audit and replace any items that do not match our exacting standards.



All transactions are carried out on Hireforce's standard terms and conditions. These are based on industry standard Hire Association Europe terms and are available at www.hireforce.com

Hireforce
TOOL & EQUIPMENT HIRE

Hireforce One

One point of contact for whatever you need, wherever you need it.

Hireforce One is designed for customers who have regional or national hiring requirements but prefer to avoid the complexities of dealing with a multitude of different depots or suppliers. Simply direct all of your hires through one dedicated point of contact and our **Hireforce One** team will do the rest.

One Contact, One Call…

- **Tool Hire**
- **Plant Hire**
- **Powered Access**
- **Site Welfare**
- **Accommodation**
- **Power**
- **Skips**
- **Event Hire**
- **Training**



www.hireforce-one.com

NATIONWIDE EQUIPMENT HIRE MADE SIMPLE



0345 355 3230

hiredesk@hireforce-one.com

Hireforce
TOOL & EQUIPMENT HIRE

Hireforce Protect

Designed to give you peace of mind

What is it?

Hireforce Protect is designed to give you fewer unexpected bills by covering the first £500 + VAT of the cost of repair or replacement arising out of accidental damage to equipment hired from Hireforce. Cover is subject to applicable terms and conditions.

Why take it?

The cost of accidental damage can be significant: £75 – £150 per punctured tyre; £500+ for a laser prism; £60+ for a damaged beacon. Hired-in plant insurance often covers loss and not accidental damage.

How does it work?

Hireforce Protect applies to all equipment hired from the date that Hireforce Protect is put in place and is charged at a rate of 10% of the equipment hire charge. Subject to compliance with the terms of Hireforce Protect, Hireforce will waive up to £500+ VAT accidental damage on any individual hire contract.

Health and Safety

UK accident statistics consistently highlight the construction industry as one of the country's highest risk sectors with significant numbers of accidents, injuries and fatalities every year. Hireforce is committed to playing our part in controlling and reducing health and safety risk by embedding robust practices throughout our operations.

To ensure best practice across our business, Hireforce has put in place a comprehensive bespoke Health and Safety policy developed through extensive work with our external health and safety experts. Our operations are regularly audited by Hire Association Europe and we have been awarded their Safehire accreditation.

To assist your business in staying compliant with current safety guidance, we have highlighted the following areas of major concern identified by the Health and Safety Executive with key information in each area. Hireforce can offer equipment in each of these areas to ensure you keep your site and personnel safe.

Understanding our Safety Icons

In order to use our equipment safely, you must use the Personal Protective Equipment shown by the icons in each section. They are represented as follows :


GLOVES


SAFETY BOOTS


SAFETY HELMET


EYE PROTECTION


EAR DEFENDERS


DUST MASK


SAFETY VISOR


WELDING MASK


SAFETY CLOTHING


SAFETY HARNESS

Hireforce TOOL & EQUIPMENT HIRE

Working At Height

Falls from height are still the biggest cause of fatalities in the construction sector. Hireforce is committed to helping you understand your options when it comes to hiring the right equipment to protect your workforce.

Can you AVOID working at height?

Do as much work from the ground as possible.

Examples:
- Use extendable tools
- Sub-assembly at ground level

If not then:
Can you PREVENT a fall from occurring?

Possibly use an existing place of work that is already safe eg. a non-fragile roof with an existing permanent perimeter guard rail. If not, use equipment to prevent people from falling.

Examples:
- Powered Access Platforms
- Tower Scaffolds

If not then:
Can you MINIMISE the distance and consequences of a fall?

Take sufficient measures to reduce the distance and/or impact of a fall.

Examples:
- Safety nets/fall arrest bags
- Fall arrest retrieval blocks

For more information on working at height visit www.hse.gov.uk/work-at-height

Hand Arm Vibration

Health & Safety

Hand Arm Vibration Syndrome is caused by prolonged use of vibratory equipment such as power tools and is a significant risk to many who work in the construction industry. Hireforce is committed to helping you to reduce this danger.

Tingling, numbness and whitening in fingers

What we will do:

- Only source equipment from leading manufacturers
- Always buy vibration reduced equipment where that option exists
- Maintain all equipment to a high standard to reduce vibration



Loss of grip

What you can do:

- Only use low vibration tools
- Always use the right tool for each job
- Ensure points and chisels are sharp
- Keep hands warm and dry
- Encourage good blood circulation by massaging and flexing hands regularly

Wrist pain or numbness (Carpal Tunnel)

For more information on Hand Arm Vibration visit www.hse.gov.uk/vibration/hav

Hireforce
TOOL & EQUIPMENT HIRE

Working With Dust

Construction dust exposure has been recognised by the HSE as a significant risk to workers in the construction industry. Regularly breathing in these dusts over a long time can cause life-changing lung diseases.

Under the COSHH regulations (2002) employers have a legal obligation to ensure that exposure to dust is kept below required Workplace Exposure Levels. Hireforce is committed to helping you meet these obligations by managing dust in the workplace.

The solutions that we can provide include:

Water Supression

Water Supply Bottles

Can be connected to certain equipment such as petrol disc cutters to dampen the dust before it becomes airborne.





Pressure Washer Bowsers

Trolley mount and towable pressure washers with integrated water tanks. Towable bowsers can also be fitted with a spray bar for damping down areas where dust could be a problem.

Mist Cannons

Water Cannons eject water mist over a large area causing airborne dust particles to fall to the ground. Useful for maintaining dust free working over large areas.



To understand more about the dangers of dust exposure visit www.hse.gov.uk/vibration/dust

On-Tool Dust Extraction

Dust Extraction Units

One of the main ways of controlling dust, M-Class dust extractors can be fitted to equipment used in a wide range of activities. Extractors should always be fitted with a dust bag.





Dust Extraction Guards

Dust extraction guards can be fitted to most equipment including items which might otherwise pose an issue such as breakers or floor preparation machines. Please call us for more information.

Airborne Dust Control

Air Cleaners

Draws the air in the room through an H-class filter removing airborne particles. Designed for situations where dust cannot be removed at source or as a supplement to existing dust control measures.





Zipwall Dust Barrier

A temporary barrier system to prevent the spread of airborne dust. Especially useful in sensitive areas or difficult operating environments. Use with air cleaners for maximum dust control.

Hireforce
TOOL & EQUIPMENT HIRE

Consumable Sales



Contact your local branch team today!

At Hireforce, we have a large range of consumables available on offer. The chances are, if you need it, we sell it. Speak to any member of our branch team to find out more.

- Drill Bits
- Blades
- Fixings
- Diamond Products
- PPE
- Power Tools
- Fuel
- Gas
- Site Supplies
- Spares
- Accessories
- Workwear

0345 355 3249

enquiries@hireforce.com

Hireforce
TOOL & EQUIPMENT HIRE



Access

Hireforce
TOOL & EQUIPMENT HIRE

Boss Scaffold Tower

Lightweight aluminium Boss scaffold tower is supplied in single (850mm) or double (1450mm) widths and 1.8m or 2.5m lengths. Towers should only be erected by competent personnel using the assembly guides provided with each hire. The user must ensure that all supplied components are used in the assembly. PASMA Training is available through Hireforce Training, please speak to a member of our team for full details.

Minimum 1 week hire.

- Tower is supplied to 3T specification
- Maximum external platform height 8.2m
- Maximum internal platform height 12.2m

Any tower higher than the quoted maximums must be treated as stationary. See assembly instructions for full details. These are also available for download at www.hireforceuk.com



Item	Platform Height (m)	Handrail Height (m)	Working Height (m)
2.2m Handrail Alloy Tower	1.2	2.2	3.2
2.7m Handrail Alloy Tower	1.7	2.7	3.7
3.2m Handrail Alloy Tower	2.2	3.2	4.2
3.7m Handrail Alloy Tower	2.7	3.7	4.7
4.2m Handrail Alloy Tower	3.2	4.2	5.2
4.7m Handrail Alloy Tower	3.7	4.7	5.7
5.2m Handrail Alloy Tower	4.2	5.2	6.2
5.7m Handrail Alloy Tower	4.7	5.7	6.7
6.2m Handrail Alloy Tower	5.2	6.2	7.2
6.7m Handrail Alloy Tower	5.7	6.7	7.7
7.2m Handrail Alloy Tower	6.2	7.2	8.2
7.7m Handrail Alloy Tower	6.7	7.7	8.7
8.2m Handrail Alloy Tower	7.2	8.2	9.2
8.7m Handrail Alloy Tower	7.7	8.7	9.7
9.2m Handrail Alloy Tower	8.2	9.2	10.2
9.7m Handrail Alloy Tower	8.7	9.7	10.7
10.2m Handrail Alloy Tower	9.2	10.2	11.2
10.7m Handrail Alloy Tower	9.7	10.7	11.7
11.2m Handrail Alloy Tower	10.2	11.2	12.2
11.7m Handrail Alloy Tower	10.7	11.7	12.7
12.2m Handrail Alloy Tower	11.2	12.2	13.2
12.7m Handrail Alloy Tower	11.7	12.7	13.7
13.2m Handrail Alloy Tower	12.2	13.2	14.2









Product Codes			
1.45m x 1.8m	1.45m x 2.5m	0.85m x 1.8m	0.85m x 2.5m
22181450	22251450	2218850	2225850
27181450	27251450	2718850	2725850
32181450	32251450	3218850	3225850
37181450	37251450	3718850	3725850
42181450	42251450	4218850	4225850
47181450	47251450	4718850	4725850
52181450	52251450	5218850	5225850
57181450	57251450	5718850	5725850
62181450	62251450	6218850	6225850
67181450	67251450	6718850	6725850
72181450	72251450	7218850	7225850
77181450	77251450	7718850	7725850
82181450	82251450	8218850	8225850
87181450	87251450	8718850	8725850
92181450	92251450	9218850	9225850
97181450	97251450	9718850	9725850
102181450	102251450	10218850	10225850
107181450	107251450	10718850	10725850
112181450	112251450	11218850	11225850
117181450	117251450	11718850	11725850
122181450	12251450	12218850	12225850
127181450	127251450	12718850	12725850
132181450	132251450	13218850	13225850

Stairway Tower

A dedicated stairway tower is a safe portable access solution, designed for use on commercial and domestic stairwells internally or externally. The tower has a compact base size 0.7m wide and 1.3m long. Stairway towers should only be erected by competent personnel.

Minimum 1 week hire.



Code	Item	Platform Height (m)	Handrail Height (m)	Working Height (m)	Base Size (m)	Max S.W.L (kg)	Weight (kg)
B02-026-001	Stairmax Tower 4m Handrail	3.0	4.0	5.0	1.3 x 0.7	275	101
B02-026-002	Stairmax Tower 6m Handrail	5.0	6.0	7.0	1.3 x 0.7	278	159
B02-026-003	Stairmax Tower 8m Handrail	7.0	8.0	9.0	1.3 x 0.7	275	223
B02-026-004	Stairmax Tower 10m Handrail	9.0	10.0	11.0	1.3 x 0.7	275	263

Single Person Tower

A versatile tower which can be quickly and easily erected and dismantled by a single person. When dismantled, the base unit forms a trolley for fast storage and transportation. With a base size of 1.3m x 0.7m, the compact dimensions mean this tower is ideal for use in restricted spaces and when packed, can be wheeled through doorways and into lifts. Should only be erected by competent personnel.

Minimum 1 week hire.



Code	Item	Platform Height (m)	Handrail Height (m)	Working Height (m)	Base Size (m)	Max S.W.L (kg)	Weight (kg)
B02-035-001	Single Person Solo Tower 3.2m Handrail	2.2	3.2	4.2	1.3 x 0.7	275	92.8
B02-035-002	Single Person Solo Tower 4.2m Handrail	3.2	4.2	5.2	1.3 x 0.7	275	121.2
B02-035-003	Single Person Solo Tower 5.2m Handrail	4.2	5.2	6.2	1.3 x 0.7	275	134

Lift Shaft Tower

Specialist industrial modular access tower system, designed for use in confined spaces. Base size of 1.3m x 0.7m. Lift shaft/confined space stabilisers for maximum stability. Should only be erected by competent personnel. See instruction manual for maximum safe working load of tower.

Minimum 1 week hire.

- Maximum 275kg safe working load per deck
- Check instructions for maximum safe tower load





Code	Item	Platform Height (m)	Handrail Height (m)	Working Height (m)	Base Size (m)
B02-029-001	Liftshaft Tower 3.2m Handrail	2.2	3.2	4.2	1.3 x 0.7
B02-029-002	Liftshaft Tower 5.2m Handrail	4.2	5.2	6.2	1.3 x 0.7
B02-029-003	Liftshaft Tower 7.2m Handrail	6.2	7.2	8.2	1.3 x 0.7
B02-029-004	Liftshaft Tower 9.2m Handrail	8.2	9.2	10.2	1.3 x 0.7
B02-029-005	Liftshaft Tower 11.2m Handrail	10.2	11.2	12.2	1.3 x 0.7
B02-029-006	Liftshaft Tower 13.2m Handrail	12.2	13.2	14.2	1.3 x 0.7
B02-029-007	Liftshaft Tower 15.2m Handrail	14.2	15.2	16.2	1.3 x 0.7
B02-029-008	Liftshaft Tower 17.2m Handrail	16.2	17.2	18.2	1.3 x 0.7
B02-029-009	Liftshaft Tower 19.2m Handrail	18.2	19.2	20.2	1.3 x 0.7
B02-029-010	Liftshaft Tower 21.2m Handrail	20.2	21.2	22.2	1.3 x 0.7

Folding Tower

Quickly assembled into a work platform providing up to 5.6m working height. Folds quickly and easily for transportation or storage. Less components than a standard single width tower.

Minimum 1 week hire.



Code	Item	Platform Height (m)	Handrail Height (m)	Working Height (m)	Base Size (m)	Max S.W.L (kg)
B02-030	Folding Tower 2.7m Handrail Height	1.7	2.7	3.7	2.0 x 0.7	250
B02-031	Folding Tower 4.0m Handrail Height	3.0	4.0	5.0	2.0 x 0.7	250
B02-032	Folding Tower 4.6m Handrail Height	3.6	4.6	5.6	2.0 x 0.7	250

Podiums

Podiums from 1m to 2m working platform provide an easily manoeuvrable, safer alternative to steps. All podiums have a guard rail on four sides and are anti-surf.

- Compliant to PAS250



Code	Item	Platform Height (m)	Handrail Height (m)	Working Height (m)	Base Size (m)	Max S.W.L (kg)	Weight (kg)
B02-05	Anti-Surf Podium - 1m	1.0	2.0	3	0.6 x 0.65	150	41.0
B02-055	Anti-Surf Podium - 1.2m	1.2	2.2	3.2	0.6 x 0.65	150	43.5
B02-06	Anti-Surf Podium - 1.5m	1.5	2.5	3.5	0.6 x 0.65	150	43.5
B02-061	Anti-Surf Podium - 2.0m	2.0	3.0	4	0.9 x 1.2	150	56

Builders Steps

Trade quality, lightweight swingback step ladders for quick access to low level areas. Do not stand and work on the top 3 steps unless there is a suitable handhold.



Code	Treads	Open Height (m)	Max Load (kg)	Weight (kg)
C03-05	6	1.3	150	5.1
C03-05	8	1.7	150	6.7
C03-05	10	2.2	150	8.7
C03-05	12	2.6	150	10.6

GRP Steps

Glass reinforced plastic steps for non-conductivity in sensitive areas. Do not stand and work on the top 3 steps unless there is a suitable handhold.



Code	Treads	Open Height (m)	Max Load (kg)	Weight (kg)
C03-05	6	1.67	150	8.8
C03-05	8	2.23	150	15.5
C03-05	10	2.79	150	165

Platform Steps

Steps with a larger platform for safer working.



Code	Treads	Open Height (m)	Platform Height (m)	Max Working Height (m)	Max Load (kg)	Weight (kg)
C03-05	6	1.88	1.28	3.28	150	8.5
C03-05	8	2.33	1.73	3.73	150	11
C03-05	10	2.78	2.19	4.19	150	13

Delta Deck Platform

A quick assembly solution for working at heights up to 2.9m. The unit comes with adjustable legs for multiple working heights and folding guardrails for maximum user safety.

- Foldable compact design allows for easy transportation and storage
- One complete unit



Code	Item	Platform Height (m)	Handrail Height (m)	Working Height (m)	Base Size (m)	Max S.W.L (kg)	Weight (kg)
B02-08	Delta Deck Platform - 0.87	0.87	1.87	2.87	1.12 x 0.76	200	26.5

Combi Ladders

A triple section ladder that can be used with the first two sections in an A frame capacity providing access where there is no wall to lean the ladder against.

- Do not stand beyond the apex of the A frame
- Locking bar for extra strength and security



Code	Item	Closed Height (m)	Step Ladder Safe Working Height (m)	Extension Ladder Safe Working Height (m)	Max Load (kg)	Weight (kg)
C03-40	Combi Ladder 2.4m	2.4	3.25	5.76	150	16.2
C03-041	Combi Ladder 3.0m	2.97	3.78	738	150	21.3
C03-042	Combi Ladder 3.6m	3.52	4.3	9	150	27.65

Roof Ladders

Heavy duty roof ladders available in single or double section with wheels for rolling up the roof tiles. Turn over to hook over the ridge of the roof.

- Lightweight for ease of use



Code	Item	Closed Height (m)	Extended Height (m)	Weight (kg)
C03-01	Single	5.9	5.9	14
C03-011	Double	3.57	5.57	22.1
C03-012	Double	4.57	7.57	27.1

Ladders

Heavy duty lightweight aluminium ladders. Available in double or triple section. Conforms to safety regulations.

- Ladder Stop provides increased resistance to the foot of the ladder
- Ladder Stand Off positions the ladder away from the wall



Code	Item	Closed Height (m)	Extended Height (m)	Weight (kg)
C03-02	Double	3.5	6.1	16
C03-021	Double	4	7.1	18
C03-022	Double	5	8.8	24
C03-03	Triple	3	7.1	24
C03-031	Triple	3.5	8.6	28
C03-032	Triple	4	10.1	32
C03-06-B001	Ladder Stop	-	-	-
C03-06-B002	Ladder Stand Off	-	-	-

Lightweight Staging Boards

Strong aluminium sided working platforms to span longer distances safely. Stagings are 450mm whilst superboards are 600mm wide.

- Should be used with handrail system to prevent risk of fall



Code	Item	Length (m)	Width (mm)	Weight (kg)
D04-02-B001	Staging Boards	2.4	450	11
D04-02-B002	Staging Boards	3.0	450	14
D04-02-B003	Staging Boards	3.6	450	17
D04-02-B004	Staging Boards	4.2	450	19
D04-02-B005	Staging Boards	4.8	450	26
D04-02-B006	Staging Boards	5.4	450	30
D04-02-B007	Staging Boards	6.0	450	33
D04-03-B001	Superboards	3.6	600	23
D04-03-B002	Superboards	4.8	600	27
D04-03-B003	Superboards	6.0	600	42

Staging Handrail Systems

Handrail system designed specifically to fit to stagings or superboards and prevent the risk of falling. Provides double guard rail in line with regulations and can be built to one or both sides of staging.

- Uses scaffold boards in place of toe boards



Code	Item	Handrail Height (m)
D04-02-B008	Staging Handrail per m - Single Side	1.0
D04-03-B004	Superboard Handrail per m - Single Side	1.0

Scaffold Boards

Strong timber scaffold boards with banded ends. Can be used together with steel trestles to provide a stable work platform.



Code	Length (ft)	Width (mm)	Weight (kg)
D04-01-B003	8	225	12.5
D04-01-B001	10	225	16
D04-01-B002	13	225	20

Steel Trestles

Adjustable steel builders trestles can support widths of 4 scaffold boards or two stagings.

- Can be provided with handrail system to prevent risk of falls



Code	Size	Closed Height (m)	Open Height (m)	Weight (kg)
D04-04-B001	1	0.58	0.81	6.9
D04-04-B002	2	0.73	1.19	8.5
D04-04-B003	3	1.02	1.75	9.4

Trestle Handrail System

Handrail system designed for use with all sizes of builders trestle.



Code	Item	Handrail Height (m)
D04-04-B004	Trestle Handrail System per m	1.0



Powered Access

Hireforce Access

Push Around – 3.5m Working Height

This manual low level access platform eliminates the need for a power supply and heavy batteries, dramatically reducing weight. Simply enter the platform and turn the handle to raise and lower. A counterweight system makes this an easy operation. Ideal for quick maintenance work.



Code	Item	Max Platform Height (m)	Max Working Height (m)	Max Load (kg)	Stowed Height (m)	Length (mm)	Width (mm)	Weight (kg)
T21-01	Pecolift	1.5	3.5	150	1.55	990	700	180

Push Around – 4.5m Working Height

A compact access platform that is pushed around manually with powered vertical lift. Its narrow footprint means that it can pass through most doorways and its low weight means it can be moved on a standard tail lift.



Code	Item	Max Platform Height (m)	Max Working Height (m)	Max Load (kg)	Stowed Height (m)	Length (mm)	Width (mm)	Weight (kg)
T21-02	Nano	2.5	4.5	200	1.56	1195	750	285
T21-02	Boss X3	2.55	4.55	240	1.58	1050	570	349

Push Around – 5m Working Height

A compact footprint, push around access platform with powered vertical movement giving the operator a working height of 5.1m with a weight of less than 375kg.



Code	Item	Max Platform Height (m)	Max Working Height (m)	Max Load (kg)	Stowed Height (m)	Length (mm)	Width (mm)	Weight (kg)
T21-03	Power Tower	3.1	5.1	250	1.85	1600	780	342
T21-03	Boss X3X	3.2	5.2	240	1.8	1410	760	370

Self Propelled - 4.5m Working Height

Quicker and easier to use than push around powered platforms, the Power Tower Nano SP is a self propelled low level access machine that gives a 4.5m working height. The small working footprint along with the extendable deck gives this unit maximum versatility for carrying out a wide range of tasks at height.

- Can be driven whilst elevated
- Zero turning radius
- 0.5m cantilever deck



Code	Item	Max Platform Height (m)	Max Working Height (m)	Max Load (kg)	Stowed Height (m)	Length (mm)	Width (mm)	Weight (kg)
T21-04	Nano SP	2.5	4.5	200	1.56	1200	750	500

Self Propelled - 5m Working Height

Ideal for low level interior maintenance and construction duties, the Snorkel 3010e is a versatile access machine with a 5m working height. Its small footprint and a zero inside turning radius make it ideal for working in confined spaces.

- Can be driven whilst elevated
- Zero turning radius
- Can be transported on a standard tail lift



Code	Item	Max Platform Height (m)	Max Working Height (m)	Max Load (kg)	Stowed Height (m)	Length (mm)	Width (mm)	Weight (kg)
T21-005	Snorkel 3010e	3	5	227	1.8	1260	770	495



Scissor Lifts

A wide variety of scissor lifts to suit most applications. These machines are vertical lift only and therefore should be able to be placed under the work area or directly alongside.

Code	Power	Max Platform Height (m)	Max Working Height (m)	Indoor Use	Outdoor Use	Rough Terrain	Non Marking Tyres
T21-06	Electric	6	8	✓	✓	-	✓
T21-07	Electric	8	10	✓	✓	-	✓
T21-08	Electric	10	12	✓	✓	-	✓
T21-09	Electric	12	14	✓	✓	-	✓
T21-10	Electric	14	16	✓	✓	-	✓
T21-12	Diesel	8	10	-	✓	✓	-
T21-13	Diesel	10	12	-	✓	✓	-
T21-14	Diesel	11.5	13.5	-	✓	✓	-
T21-15	Diesel	15	17	-	✓	✓	-
T21-16	Diesel	21	23	-	✓	✓	-

Electric Scissor Lift - 8m Working Height

The workhorse of the powered access fleet, this powered 7.8m lift can accommodate 2 personnel and has a 0.9m extension deck.

Features variable speed front wheel hydraulic drive with 90° steering, meaning this machine can be used in the most compact spaces.

- Non marking tyres
- Can be driven whilst at full height



Code	Item	Max Platform Height (m)	Max Working Height (m)	Capacity (kg)	Lift Time (sec)	Stowed Height - rails up (m)	Dimensions (mm)	Weight (kg)
T21-06	Skyjack 3219	5.79	7.79	227	19	2.13	1800 x 810	1476

Electric Scissor Lift - 10m Working Height

This battery powered scissor lift provides a working height of 9.9m and can by used by up to two operators. The 0.9m extendable deck ensures that operators have a large work area and the 90° steering means that, despite its size, the machine can still be used in compact areas.

- Non marking tyres
- Can be driven whilst at full height



Code	Item	Max Platform Height (m)	Max Working Height (m)	Capacity (kg)	Lift Time (sec)	Stowed Height - rails up (m)	Dimensions (mm)	Weight (kg)
T21-07	Skyjack 3226	7.92	9.92	227	47	2.29	2320 x 840	1900

Vertical Mast Lifts

Vertical mast lifts provide a compact footprint and superior manoeuvrability. When operating in tight work spaces, a high degree steer angle and zero inside turning radius means these machines can often operate where a traditional scissor cannot. Both models feature a 0.41m traversing platform, providing increased access and the ability to reach over potential obstacles.

- Non marking tyres
- Can be driven whilst at full height



Code	Item	Max Platform Height (m)	Max Working Height (m)	Capacity (kg)	Lift Time (s)	Stowed Height (m)	Dimensions (mm)	Weight (kg)
T21-05	Skyjack SJ12	3.65	5.65	227	14	1.78	1370 x 780	863
T21-051	Skyjack SJ16	4.75	6.75	227	21	1.78	1370 x 780	980

Mast Boom Lifts

Vertical electric mast lift with the addition of a jib to provide an extra 3m outreach. This machine utilises a turntable providing 345° rotation and giving the operator a huge working envelope from a single floor position.

- 6m diameter working area
- Zero tailswing design provides improved safety



Code	Item	Max Platform Height (m)	Max Working Height (m)	Capacity (kg)	Outreach (m)	Stowed Height (m)	Dimensions (mm)	Weight (kg)
T21-052	Star 8	6.7	8.7	200	3	1.99	2700 x 1000	2585
T21-053	Star 10	8	10	200	3	1.99	2700 x 1000	2677

Telescopic Boom Lifts

A range of outdoor telescopic boom lifts, also known as cherry pickers. These versatile machines provide the maxiumum amount of outreach to height capability where there are no obstructions to access the working area and space is not an issue.

- Capable of working on rough terrain



Code	Power	Max Platform Height (m)	Max Working Height (m)	Outreach (m)
T21-17	Diesel	12	14	10.2
T21-18	Diesel	14	16	11.8
T21-19	Diesel	20	22	17.4
T21-20	Diesel	26	28	22.8

Articulated Boom Lifts

Articulated booms are the perfect solution for accessing areas that are obstructed or difficult to access. Hybrid machines are available to enable working inside.

- Capable of working on rough terrain



Code	Power	Max Platform Height (m)	Max Working Height (m)	Outreach (m)
T21-24	Diesel Electric Hybrid	10	12	6
T21-25	Diesel	12	14	6.8
T21-26	Diesel Electric Hybrid	15	17	9.1
T21-27	Diesel	19	21	12.5
T21-28	Diesel Electric Hybrid	25	27	15.7

Trailer Articulated Boom Lifts

Trailer mounted boom lifts are perfect when access for larger delivery vehicles is limited or if moving of the boom regularly from site to site is required. Saves on delivery costs while still providing impressive height and reach.

- Telescopic axles enable access through double doorways
- Hydraulic outriggers enable easy setup



Code	Item	Power	Max Platform Height (m)	Max Working Height (m)	Outreach (m)
T21-29	Niftylift 120T	Bi Fuel	10.2	12.2	6
T21-30	Niftylift 150T	Bi Fuel	12.7	14.4	7.55
T21-31	Niftylift 170	Bi Fuel	15.1	17.1	8.7

Track Mounted Boom Lifts

Suitable for use on even the most inaccessible conditions. Low machine weight and tracks reduce ground pressure for sensitive ground conditions.

- Hydraulic outriggers enable easy setup



Code	Power	Max Platform Height (m)	Max Working Height (m)	Outreach (m)
T21-32	Hybrid	13	15	6.6
T21-33	Hybrid	16	18	7.5
T21-34	Hybrid	20	22	11.8



Building and Siteworks

Hireforce
TOOL & EQUIPMENT HIRE

Crowd Control Barrier

Steel barrier is 1.1m high and can be coupled together for crowd control applications.



Code	Height (m)	Length (m)	Weight (kg)
A01-01-B002	1.1	2.3	14

Road Work Barrier

Barrier systems used where separation of vehicles or vehicles and pedestrians is required. Easy to move when empty, these barriers are designed to be filled with water or sand to provide strong stability.



Code	Item	Length (m)	Height (m)	Weight (kg)
A01-07-B001	Strongwall Barrier	1.1	1	22
A01-07-B0012	Traffic Separator 1.0m Water Filled	1.1	0.6	8

Pro Barrier

Red and white PVC barrier locks together to form continuous runs for pedestrian control.



Code	Height (m)	Length (m)	Weight (kg)
A01-01-B001	1.0	2.0	9

Heras Fence Panels

Traditional temporary fencing solution. Panels can be clipped together to create a secure 2m high fence to your desired length. Close constructed anti-climb mesh. Can be used in conjunction with vehicle or pedestrian gates.

- Double clips can be provided for increased security



Code	Item	Height (m)	Length (m)	Weight (kg)
A01-03-B001	Heras Fence Panel	2.0	3.5	17
A01-03-B002	Pedestrian Gate	2.0	1.2	13
A01-03-B003	Vehicle Gate	2.0	4.2	22
A01-03-B004	Rubber Foot	-	-	18

Hoarding Panels

Solid steel temporary hoarding panels provide privacy and security. These panels use the same rubber feet as heras fencing and can be provided with a windlock system to protect against high winds.

- Double clips can be provided for increased security



Code	Item	Height (m)	Length (m)	Weight (kg)
A01-014-B001	Hoarding Panel	2.0	2.15	40
A01-014-B006	Pedestrian Gate	2.0	1.2	28
A01-014-B007	Vehicle Gate	2.0	2.2	65

Road Plates

Steel road plates for covering excavations to allow the passage of vehicles or pedestrians. Available in a variety of thicknesses.



Code	Item	Length (m)	Width (m)
X01-060	Steel Road Plates	2.4	1.2

Trench Covers

GRP trench cover, suitable for distributing load over trenches. Available in different sizes if required - please ask in branch for details



Code	Item	Length (m)	Width (m)
A01-05-B001	Trench Covers	1.125	1.125

Road Signs and Cones

Full range of temporary road signs and cones provided for any application.

- Unique signs can be made up - speak to a member of staff for details



Code	Item	Code	Item
A01-11-B003	Road Signs 600mm	**A01-11-B007**	Stop Go Board - Manual
A01-11-B004	Road Signs 750mm Triangular	**A01-11-B002**	Motorway Cone
A01-11-B005	Road Signs 900mm	**A01-11-B011**	Flashing Cone Light
A01-11-B006	Road Signs 1200mm		

Acrow Props

Adjustable temporary ceiling and wall supports.
Can be used for support up to 3.96m.



Code	Item	Closed Height (m)	Extended Height (m)	Weight (kg)
A01-09-B001	Size 0	1.05	1.82	11.3
A01-09-B002	Size 1	1.75	3.12	16.3
A01-09-B003	Size 2	1.98	3.35	17.5
A01-09-B004	Size 3	2.59	3.96	20.2

Strongboys/U Heads

Designed for use with acrow props, strongboys are used for supporting walls whilst fitting lintels. U Heads enable the acrow to support timber joists where needed.



Code	Item	Weight (kg)	SWL (kg)
A01-10-B005	Strongboy	5.8	340
A01-09-B005	Acrow Prop U Head	6.8	4000

Trench Struts

Adjustable steel prop for trench wall support.
Clawed plates to provide extra grip.



Code	Item	Closed Height (m)	Extended Height (m)	Weight (kg)
A01-09-B005	Size 0	0.32	0.47	4
A01-09-B006	Size 1	0.49	0.73	5.8
A01-09-B007	Size 2	0.69	1.09	7.7
A01-09-B008	Size 3	1.03	1.73	11

Tool Vault

Heavy duty steel site box provides robust security for storing small tools and materials on site. Built-in fork skids enable easy transportation around work area.

- Dual locks for increased security



Code	Item	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
A01-15	Tool Vault	1200	600	600	78

Site Store

Large heavy duty steel site vault with gas struts to assist with opening. Supplied with fork skids for easy transportation around sites.

- Dual locks for increased security



Code	Item	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
A01-16	Site Store	1200	600	1200	182

Fuel Vault

Rugged vented storage vault for storing hazardous liquids and chemicals. Complies fully with regulations. Built in fork skids for easy transportation around sites.



Code	Item	Length (mm)	Width (mm)	Height (mm)	Weight (kg)
A01-162	Firesafe Fuel Vault	1275	665	660	85

Fuel Kaddi

Mobile double bunded fuel storage container. Stores 100 litres of diesel. Fuel is dispensed with built-in manual pump.



Code	Item	Capacity (L)	Weight (kg)
A01-14	Dieselmate Fuel Kaddi	100	22

Gas Cages

For safe on-site storage of bottled gases. Provided in a variety of sizes including a foldable version.



Code	Item	Length (m)	Width (mm)	Height (mm)
A01-165	Gas Cage	800	800	1200

Water Boiler

Powerful 3kW water boiler provides convenient, portable access to piping hot water without the need for hardwiring or mains plumbing.



Code	Item	Capacity (L)
A01-17	Burco Water Boiler	30

Rubbish Chute

Chutes are joined together in 1m sections to provide safe removal of rubbish from height. Must be used with a hopper section. Y-Section provides access to the chute from different levels.



Code	Item	Length (m)	Weight (kg)
A01-12-B001	Rubbish Chute	1.1	6
A01-12-B002	Y Section	1.0	11
A01-12-B003	Hopper	1.1	8

Concertina Barrier

Expands to create a straight or curved 1m high pedestrian barrier up to 4m in length. Folds to 350mm wide with wheels for easy transportation.



Code	Height (m)	Length (m)	Weight (kg)
A01-01-B010	1	4	16.8

Firepoint Trolley

Mobile firepoint trolley alarm point complies with statutory requirements. Fitted with signage, bell alarm and two extinguishers.



Code	Item
A01-24	Firepoint Trolley

Gas Torches

Hand held propane gas torch for roofing applications.

- Propane gas can be purchased in branch



Code	Item	Burners
A01-18	Blow Torch - Hand	Single
A01-18	Roofers Gas Torch	Twin

Drain Rods

Flexible drain rods that can be fitted with a variety of accessories for any job.

- Supplied as a set of 10 rods



Code	Item	Number In Set	Length (m)
A01-21-B002	Drain Rod Set	10	1

Drain Stoppers

Drain test stoppers for performing integrity tests on drainage pipes. Larger sizes up to 600mm are available on request.



Code	Item	Dimeter (mm)
A01-22-B001	Drain Stopper	100 - 150
A01-22-B002	Drain Stopper	225
A01-22-B003	Drain Stopper	300
A01-22-B006	Drain Test Pump & Gauge	



Cutting and Grinding

Hireforce
TOOL & EQUIPMENT HIRE

Angle Grinders

Versatile machines ideal for cutting or grinding stone or metal. Large switches enable easy use whilst wearing gloves. Can be used with a dust guard to attach a dust extractor (Code M14-10), protecting the operator from harmful silica dust.

- Discs can be purchased in branch





Code	Item	Disc Size (mm)	Max Cutting Depth (mm)	Weight (kg)	Power (W)
E05-01	Angle Grinder – Electric	125	35	1.6	850
E05-02	Angle Grinder – Electric	230	60	5.76	2000
E05-17-B004	Dust Extraction Guards				

Cordless Angle Grinder

Lightweight versatile battery powered grinders make simple cutting and grinding jobs quick and easy.

- Can be connected to a dust extractor (M14-10)



Code	Item	Disc Size (mm)	Max Cutting Depth (mm)	Weight (kg)	Power (V)
E05-011	Cordless Grinder	115	30	2.7	18

Petrol Cut-Off Saw

Two stroke machine for cutting masonry, concrete and asphalt. The saw can be used in conjunction with a water bottle to reduce dust.

- Diamond blades can be purchased or hired in branch



Code	Item	Disc Size (mm)	Max Cutting Depth (mm)	Weight (kg)
E05-05	Petrol Cut Off Saw - 12”	300	100	9.5
E05-052	Petrol Cut Off Saw - 14”	350	125	9.8
E05-051	Cut-Off Saw Trolley			

Cordless Cut-Off Saw

Cordless 9" cut-off machine ideal for cutting products such as roofing tiles, bricks, paving blocks or metal. Has a water connection for effective dust control allowing use indoors and outdoors.

- Diamond blades can be purchased or hired in branch



Code	Item	Disc Size (mm)	Max Cutting Depth (mm)	Weight (kg)
E05-054	Cordless Cutt Off Saw	230	70	5.1

Water Supply Bottle

Portable water supply tank with a hoselock fitting for easy attachment to machines. Effective in reducing airborne dust for improved operator safety.



Code	Item
E05-17-B002	Water Bottle Attachment

Electric Cut-Off Saw

Ideal when cutting indoor or in confined spaces, this 110v powered cutter ensures there are no harmful fumes and keeps noise to a minimum. It features both dust extraction and water suppresion, producing a cut which is 40% faster and virtually dust free.

- Diamond blades can be purchased or hired in branch



Code	Item	Disc Size (mm)	Max Cutting Depth Depth (mm)	Weight (kg)	Power (W)
E05-053	Cut Off Saw - 110v	300	100	9.4	2300

Wall Chaser

Ideal for cutting chases into existing concrete or masonry surfaces for the installation of conduit. Designed to be used in conjunction with a dust extractor (M14-10) to reduce harmful silica dust.

- Adjustable blade gap width
- Diamond blades can be purchased or hired in branch



Code	Item	Disc Size (mm)	Max Cutting Depth (mm)	Weight (kg)	Power (W)
E05-03	Wall Chaser - 110v	125	40	6.9	1700

Wall Saw

Ideal for cutting into existing masonry, stone or timber. Can be used to create openings or remove single bricks. Should be used with a dust extractor (M14-10) for maximum operator safety.

- Blade wear charge extra



Code	Item	Max Cutting Depth (mm)	Weight (kg)	Power (W)
E05-035	Arbortech Wall Saw	170	4.3	1250

Floor Saws

Petrol or diesel powered floor saws for cutting concrete or asphalt. Integrated water tank to provide dust reduction.

- Diamond blades can be purchased or hired in branch



Code	Item	Blade Size (mm)	Max Cutting Depth (mm)	Weight (kg)	Fuel
E05-06	14” Floor Saw - Petrol	350	125	54	Petrol
E05-07	18” Floor Saw - Petrol	450	162	99	Petrol
E05-075	Micro Trenching Floorsaw	350	120	120	Petrol

Masonry Saw Benches

Heavy duty bench saws for cutting masonry products. The wheeled table on the saw allows the operator to move the product through the saw blade for controlled cutting. Water fed diamond blade reduces harmful silica dust.

- Diamond blades can be purchased or hired in branch



Code	Item	Blade Size (mm)	Max Cutting Depth (mm)	Max Cutting Length (mm)	Weight (kg)	Power
E05-08	Masonry Sawbench 16” - Petrol	400	150	600	118	Petrol
E05-08	Masonry Sawbench 20” - Petrol	500	195	500	165	Petrol
E05-09	Masonry Sawbench 16” - Electric	400	135	780	90	110v

Block Paving Splitter

Manual block splitter designed for the rapid and easy cutting of block paviours. Jaw height can be fixed and utilises a short lever arm to enable rapid cutting of multiple blocks.



Code	Item	Max Cut Thickness (mm)	Max Cut Width (mm)	Weight (kg)
A01-20	Manual Block Splitter	87	250	18

Block Paving Splitter - Heavy Duty

This heavy duty block paving splitter is well suited to larger blocks, sets and small slabs due to its wider jaws and extended lever action.

- Enables cutting without kneeling



Code	Item	Max Cut Thickness (mm)	Max Cut Width (mm)	Weight (kg)
A01-205	Block Paving Splitter - Heavy Duty	125	400	35

Hydraulic Block Splitter

Heavy duty hydraulic splitter with a large jaw opening enabling the splitting of concrete blocks and slabs up to 650mm wide.

- Wheels provide easy transportation to work site



Code	Item	Max Cut Thickness (mm)	Max Cut Width (mm)	Weight (kg)
A01-201	Hydraulic Block splitter	235	650	99

Rail Mounted Tile Saw

Rail mounted tile saws are capable of cutting larger modern floor and wall tiles up to 650mm. Tilting head allows mitred cuts up to 45°.



Code	Item	Blade Size (mm)	Max Cut Depth (mm)	Max Cut Length (mm)	Power (W)	Weight (kg)
E05-16	Tile Saw - Rail Mounted	200	35	650	900	34

Tile Saw - Compact

Compact saw for cutting small to medium floor and wall tiles. Removable water tray for dustless cuting.

- Capable of cutting 45° mitre angles



Code	Item	Blade Size (mm)	Max Cut Depth (mm)	Max Cut Length (mm)	Power (W)	Weight (kg)
E05-161	Tile Saw - Compact	200	55	N/A	1000	27

Manual Tile Cutter

Manual tile cutter for quick cuts to small ceramic tiles.



Code	Item	Max Cut Thickness (mm)	Max Cut Length (mm)
E05-16	Tile Cutter - Manual	19	600

Metal Cutting Chop Saw

For cutting metal in a variety of applications. Uses a standard 355mm abrasive blade.

- Mitre setting for angles up to 45°
- Ideal for cutting steel or aluminium profile



Code	Item	Blade Size (mm)	Power (W)	Weight (kg)
E05-10	Metal Cutting Chop Saw - 14”	355	1650	18.3

Rebar Cutter

The powerful electro-hydraulic drive provides quick and clean cuts to free or insitu rebar of varying diameters.

- Rotating cutting head allows for different cutting positions



Code	Item	Max Rebar Size (mm)	Power (W)	Weight (kg)
E05-11	Rebar Cutter	20	1400	13.7

Nibblers/Shears

Metal nibblers and shears for cutting sheet steel in straight and curved profiles.



Code	Item	Max Cut Thickness (mm)	Power (W)	Weight (kg)
E05-13	Metal Nibbler	1.6	550	1.6
E05-13	Metal Nibbler	3.2	710	3.4
E05-14	Metal Shears	1.6	380	1.6


Diamond Products

Our depots stock a full range of diamond product to suit any application – speak to a member of our branch team for more information.



Diamond Blades

Standard	Premium	Diameter (mm)	Depth (mm)	Segment Depth (mm)	Material
DB100S	DB100P	100	22.2	7	Masonry/Concrete
DB115S	DB115P	115	22.2	7	Masonry/Concrete
DB125S	DB125P	125	22.2	7	Masonry/Concrete
DB230S	DB230P	230	22.2	7	Masonry/Concrete
DB300S	DB300P	300	20/22.2	10	Masonry/Concrete
DB350S	DB350P	350	25.4	10	Concrete
DB350S	DB350P	350	25.4	10	Asphalt
DB450S	DB450P	450	25.4	10	Concrete
DB450S	DB450P	420	25.4	10	Asphalt



Dry Diamond Cores

Standard	Premium	Diameter (mm)	Depth (mm)	Segment Depth (mm)	Material
DDC38S	DDC38P	38	150	10	Masonry
DDC52S	DDC52P	52	150	10	Masonry
DDC65S	DDC65P	65	150	10	Masonry
DDC78S	DDC78P	78	150	10	Masonry
DDC92S	DDC92P	92	150	10	Masonry
DDC102S	DDC102P	102	150	10	Masonry
DDC117S	DDC117P	117	150	10	Masonry
DDC127S	DDC127P	127	150	10	Masonry



Wet Diamond Cores

Standard	Premium	Diameter (mm)	Depth (mm)	Segment Depth (mm)	Material
WDC52S	WDC52P	57	450	10	Masonry/Concrete
WDC77S	WDC77P	77	450	10	Masonry/Concrete
WDC102S	WDC102P	102	450	10	Masonry/Concrete
WDC127S	WDC127P	127	450	10	Masonry/Concrete
WDC152S	WDC152P	152	450	10	Masonry/Concrete
WDC177S	WDC177P	177	450	10	Masonry/Concrete
WDC202S	WDC202P	202	450	10	Masonry/Concrete
WDC227S	WDC227P	227	450	10	Masonry/Concrete
WDC252S	WDC252P	252	450	10	Masonry/Concrete



Drilling

Hireforce
TOOL & EQUIPMENT HIRE

Percussion Drills

This 1/2" chuck drill can be used in rotary mode for drilling wood and metal, or percussion mode for drilling up to 20mm in masonry.



Code	Item	Max Dril size in Masonry (mm)	Max Dril size in Metal (mm)	Max Dril BSize in Wood (mm)	Power (W)	Weight (kg)
F06-01	1/2" Percussion Drill	20	13	40	720	2.5
F06-015	Right Angle Drill	13	13	22	710	4

SDS Hammer Drills

Light and heavy duty hammer drills for drilling holes up to 28mm in masonry and concrete. These drills are lightweight for ease of use in longer periods of drilling. All machine are supplied with the latest anti-vibration technology allowing longer sustained use.



Code	Item	Max Dril Size in Concrete (mm)	Single Impact Energy	Power (W)	Weight (kg)
F06-02	Light Duty SDS Hammer Drill - 2kg	26	2.4	800	2.8
F06-03	Heavy Duty SDS Hammer Drill - 3.5kg	28	2.8	800	3.5

Magnetic Drills

Held in place by a powerful electromagnet, these drills can drill up to 100mm through steelwork at any orientation. Supplied with a chain or strap for protection against power cuts.



Code	Item	Max Cutter Size (mm)	Cutting Depth	Power (W)	Weight (kg)
F06-035	Minifor Drill	35	50	1100	12.5
F06-035	Unibor Dril	100	110	2500	28

18v Cordless Drill

Standard cordless percussion drill provides the ease of use and flexibility not available with a corded drill. Can be used in rotary or percussion mode.

- Spare battery provided



Code	Item	Chuck Type	Max Dia in Concrete (mm)	Max Impact Energy (J)	Power (V)	Weight (kg)
F06-07	18v Cordless Drill	1/2”	13	1.8	18	1.75

36v Cordless Drill

Heavy duty cordless hammer drill allows for drilling into concrete or masonry up to 26mm. Larger battery also provides longer use time.

- Spare battery provided



Code	Item	Chuck Type	Max Dia in Concrete (mm)	Max Impact Energy (J)	Power (V)	Weight (kg)
F06-09	36v Cordless Drill	SDS	26	3.2	36	4.6

Paddle Drill

Used for mixing plaster, mortar or resins, the drill features a soft start function for more control and reduced splashing.



Code	Item	Power (W)	Weight (kg)
F06-031	Paddle Mixing Drill	7.8	1600

Light Duty Combi Drill

Ideal for drilling and chiseling in light duty brick and block, this combi drill is also perfect for chasing and removing old plaster and tiles.



Code	Chuck Type	Max Ø in Concrete (mm)	Max Impact Energy (J)	Power (W)	Weight (kg)
F06-04	SDS Plus	28	3.6	1010	4.2

Medium Duty Combi Drill

For drilling up to 40mm in concrete or for medium duty demolition work. Can also support up to 100mm diamond core.



Code	Chuck Type	Max Ø in Concrete (mm)	Max Impact Energy (J)	Power (W)	Weight (kg)
F06-05	SDS Max	40	7.8	1350	7.8

Heavy Duty Combi Drill

Heavy duty hammer drill for drilling up to 50mm in concrete and masonry or for medium duty demolition work. Drill bits available in branches.



Code	Chuck Type	Max Ø in Concrete (mm)	Max Impact Energy (J)	Power (W)	Weight (kg)
F06-06	SDS Max	50	11.5	1700	10

Dry Diamond Drill

Hand held dry diamond drill for lightweight applications in masonry such as tumble dryer exhaust holes. Drills have a clutch to prevent the risk of the drill snagging.

- Diamond core bits can be hired or purchased in branch



Code	Item	Max Core Dia in Concrete (mm)(kg)	Weight (W)	Power
F06-10	Dry Diamond Drill 110v	152 3.7	850	

Wet/Dry Diamond Drill

Hand held wet/dry diamond drill for medium duty applications. High motor performance and 3 speed gearing for optimum performance. Should be used in conjunction with a water supply tank to assist drilling process and reduce dust.

- Diamond core bits can be hired or purchased in branch
- Can also be connected to a dust extractor ir required



Code	Item	Max Core Dia in Concrete (mm)	Weight (kg)	Power (W)
F06-101	Handheld Diamond Drill Wet/Dry	162	6.4	2000

Diamond Drill Rigs

Diamond drilling rigs give a stable drilling platform for precise cuts in floors or walls. Perfect for larger and heavier duty diamond drilling applications. Rig can either be bolted to drilling surface or used in conjunction with the vacuum pump to hold the rig in place. Must be used with a water supply unit

- Can be used in any orientation
- Diamond core bits can be hired or purchased in branch



Code	Item	Max Core Dia in Concrete (mm)	Power (W)	Weight (kg)
F06-11	Drill Rig - Medium Duty	250	21	2400
F06-11	Drill Rig - Heavy Duty	450	37	3000
F06-111	Vacuum Pump	N/A	19	550
E05-17-B002	Water Supply Unit	N/A	N/A	N/A

Diamond Pipe Drilling Rig

Petrol engined diamond drilling rig for drilling through underground sewage and watert pipes. Utilises water supply unit to feed drill bit for efficient cutting

- Must be used with a 4m exhaust hose
- Clamps directly onto pipe



Code	Item	Max Core Dia in Concrete (mm)	Fuel	Weight (kg)
F06-112	Diamond Pipe Drilling Rig	350	2 Stroke Petrol	45



Breaking

Hireforce
TOOL & EQUIPMENT HIRE

Light Duty Breakers

Light duty breaker for chiselling work on concrete or masonry. Can be used with a needle gun attachment for cleaning paint etc. from small areas of masonry and concrete.



Code	Item	Impact Energy (J)	Strikes (Per Minute)	Power (W)	Weight (kg)
F06-12	Light Duty Breaker	3.3	4080	850	4
F06-13	Needle Gun Attachment	N/A	N/A	N/A	1

Medium Duty Breakers

Vibration reduced breaker for medium duty demolition and chiselling work on concrete or masonry.

- Can use a dust removal adaptor to fit dust extraction unit



Code	Item	Impact Energy (J)	Strikes (Per Minute)	Power (W)	Weight (kg)
F06-14	Medium Duty Breaker	11.2	1100-2660	1300	7.9

Heavy Duty Breakers

Ideal for extensive heavy duty demolition to floor slabs and low level work, this breaker employs the latest low vibration technology to enable longer use time without risk to the operator.

- Can use a dust removal adaptor to fit dust extraction unit



Code	Item	Impact Energy (J)	Strikes (Per Minute)	Power (W)	Weight (kg)
F06-15	Heavy Duty Breaker	26	1950	1750	12.5

Heavy Duty Electric Road Breaker

Heaviest duty electric breaker featuring anti-vibration handles. Ideal for breaking up floor slabs, paths or roadways.



Code	Impact Energy (J)	Strikes (Per Minute)	Power (kg)	Weight (W)
F06-16	62	1000	29.5	2000

Hydraulic Breaker

Petrol driven power pack, ideal for demolition where there is no on-site power or maximum demolition power is required.



Code	Item	Strikes (Per Minute)	Power (kW)	Weight (kg)
F06-17	Hydraulic Breaker Power Pack 20L	N/A	6	66
F06-171	Hydraulic Breaker Gun	1500	N/A	26

Two Stroke Breaker

Heavy duty two stroke breaker providing high impact energy whilst being much more portable than an hydraulic breaker.



Code	Impact Energy (J)	Strikes (Per Minute)	Power (W)	Weight (kg)
F06-18	65	1300	1.7	25.2

Tile Lifting Attachment

Breaker attachment for lifting tiles adhered to floors.

- Can be provided for a variety of breakers



Code	Item
F06-22-B002	Tile Lifting Attachment

Compressors

Heavy duty towable road compressors for powering pneumatic tools such as road breakers, shot blasters or scabblers.



Code	Model	Outlets	Operating Pressure (bar)	Weight (kg)
X20-070	90cfm	1	7	595
X20-071	135cfm	2	7	945
X20-072	250cfm	4	7	1475

Air Tools

A variety of air tools are available. All are supplied with a whipcheck to protect the operator. Ask a member of our team if the item you require is not listed.



Code	Item	Weight (kg)
X20-80-P0726	Air Breaker - Light Duty	5
X20-80-P0727	Air Breaker - Medium Duty	10
X20-80-P0728	Air Breaker - Heavy Duty	20
X20-80-P0729	Air Hose 3/4”	6
X20-80-P0730	Floor Scabbler	114
X20-80-P0731	Triple Head Scabbler	5.6
X20-80-P0732	Pole Scabbler	21.5
X20-80-P0733	Blow Out Lance	3



Concreting and Finishing

Hireforce
TOOL & EQUIPMENT HIRE

4/3 Concrete Mixers

Compact tip-up professional mixer. Built for site durability, these are ideal for small to medium building projects.

- Includes stand for easier tipping



Code	Item	Type	Drum Volume (L)	Weight (kg)	Power (W)
F07-18	Electric Mixer	110v	130	64.5	750
F07-19	Petrol Mixer	Petrol	130	69.5	N/A

Diesel Site Mixer

High capacity professional mixers suited for use on large building sites. Solid construction to withstand the toughest conditions.



Code	Item	Drum Volume (L)	Weight (kg)
F07-191	Diesel Site Mixer	250	335

Forced Action Resin Mixers

Designed to mix a wide range of materials such as resin, mortar, adhesive and sealants. Disposable mixing drum can be purchased in branch.



Code	Item	Drum Volume (L)	Weight (kg)	Power (W)
F07-195	Resin Mixer	32	43	750

Floor Planers

An essential machine for when level reduction or surface preparation to concrete floors is required. Removes surface level of concrete leaving stippled effect.

- Wear charges apply
- Can be attached to a heavy duty dust extractor (M14-105) to reduce harmful dust



Code	Item	Flail Width (mm)	Power (W/A)	Weight (kg)
F07-20	Floor Planer 110v	200	2200/32	62
F07-201	Floor Planer Petrol	200	N/A	58

Floor Grinders

For preparation and smoothing of concrete floor slabs. 50mm dust extraction port allows for efficient removal of dust when connected to the dust extractor. Can use carborundum, wire brush or diamond blocks.

- Wear charges apply



Code	Item	Working Width (mm)	Power (W/A)	Weight (kg)
F07-21	Single Head	250	2200/32	44
F07-21	Twin Head	400	2200/32	86

Floor Preparation Machine

Highly versatile, multi use floor preparation unit. Can be used with a wide variety of cleaning and grinding heads such as diamond, TCT or carbon discs.

- Optional dust extraction skirt allows use with a heavy duty dust extractor (M14-105)



Code	Item	Disc Width (mm)	Power (W/A)	Weight (kg)
F07-22	STR701	460	1500/16	61

Hand Held Concrete Planer

Ideal for grinding small areas of concrete/masonry for a reduction in level or surface finishing. Should be used in conjuction with a dust extraction vacuum (Code M14-10).



Code	Item	Disc Dia (mm)	Weight (kg)	Power (W)
F07-221	Planer - Medium Duty	110	4.4	850
F07-221	Planer - Heavy Duty	150	4.1	2100

Tile Stripper

Walk behind machine for stripping various floor coverings on smaller projects such as carpet or linoleum.

- Replacement blades can be purchased from branch



Code	Item	Working Width (mm)	Power (W)	Weight (kg)
F07-23	Tile Stripper Medium Duty	230	1500	45

Self Propelled Tile Stripper

Ideal when heavy duty floor covering removal is needed across a large area. Self drive wheels provide forward traction.

- Replacement blades can be purchased from branch



Code	Item	Working Width (mm)	Power (W)	Weight (kg)
F07-231	Self Propelled Tile Stripper	330	2200	132

Concrete Poker Drive Unit

Engine driven poker drive unit used in conjunction with pneumatic poker flex to vibrate and compact wet concrete.

- Can be used with various size flexes



Code	Item	Power (W)	Weight (kg)
F07-24	Poker Drive Unit	Petrol	24

Poker Flexes - Pneumatic

Pneumatic poker flexes used with petrol poker drive unit. 5m in length for maximum versatility. Various diameters available.



Code	Item	Diameter (mm)
F07-25-B001	25mm Flex	25
F07-25-B002	50mm Flex	50
F07-25-B003	75mm Flex	75

Strimmer Poker

Two stroke poker drive unit in a strimmer configuration with a fixed poker flex.



Code	Item	Power (W)	Diameter (mm)	Weight (kg)
F07-246	Strimmer Poker	25	13	11

Electric Poker Units

Electric poker units are very portable and are ideal for small volumes of concrete.



Code	Item	Diameter (mm)	Weight (kg)
F07-245	110v Electric Poker	25, 36, 50, 57	9.8

High Frequency Pokers

High frequency electric poker units provide the highest possible compaction performance and productivity.

- Drive unit and heads are not interchangeable



Code	Item	Power	Weight (kg)
F07-241	38mm Flex	110v	12
F07-242	45mm Flex	110v	16
F07-243	57mm Flex	110v	17
F07-244	65mm Flex	110v	25.5

Power Floats

Petrol driven machine for trowelling large areas of concrete to a smooth finish. Finishing pans are also available for hire enabling flatter floors and increased productivity.

- Blade wear charge extra



Code	Item	Diameter (mm)	Weight (kg)
F07-16	Power Float - 24”	600	78
F07-17	Power Float - 36”	900	95
F07-171	Power Float - 48”	1150	126
F07-26	Finishing Pan	600, 900,1200	10

Easy Screed

The Easy Screed has a detachable drive unit which can clamp onto screed bars of various lengths. The machine can produce a smooth finish without the need to strike off form work.



Code	Item	Weight (kg)
F07-30	Easy Screed Drive Unit	14.6
F07-29-B001	Easy Screed Beam 2.5m	10.3
F07-29-B002	Easy Screed Beam 3.0m	12.3
F07-29-B003	Easy Screed Beam 3.6m	15.4
F07-29-B004	Easy Screed Beam 4.25m	17.5
F07-29-B005	Easy Screed Beam 5.0m	20.5

Vibrating Beam Screed

Petrol vibrating drive unit that attaches to various lengths of twin aluminium beams enabling the operator to compact and level large slabs of wet concrete between formwork.

- Vibrates to a depth of 150mm
- Vibration reduced handles for easy pulling



Code	Item	Weight (kg)
F07-28	Petrol Drive Unit	49
F07-29	Twin Beams 3.2m - 5.4m	Various

Manual Concreting Floats

A variety of concrete floats for improving final surface durability, finish and quality by reducing surface laitance. Supplied with 3 handles as standard.

- Extra handles can be requested



Code	Item	Weight (kg)
F07-26-B001	Fresno Broom	3.6
F07-26-B006	Easi Float	3.6
F07-26-B0065	Big Blue Float	3.6

Test Cube Moulds

Regulation casting of concrete cubes for testing concrete properties.



Code	Item	Size (mm)	Weight (kg)
F07-26-B004	Test Cube Moulds - 4”	100	8.5
F07-26-B005	Test Cube Moulds - 6”	150	13

Alloy Hand Tamps

Manual tamp bars complete with handles for manually finishing the surface of concrete slabs. A range of sizes are available.



Code	Item
F07-26-B010	Hand Tamp 3.2m
F07-26-B0101	Hand Tamp 4.2m
F07-26-B011	Hand Tamp 5.2m
F07-26-B0111	Hand Tamp 6.2m



Compaction

Hireforce
TOOL & EQUIPMENT HIRE

Plate Compactors

A wide variety of compactors suitable for compacting sand, gravel, hardcore or other surfaces in small to medium applications.

- All machines feature anti-vibration handles



Code	Item	Width (mm)	Centrifugal Force (kN)	Weight (kg)
G08-01	Compactor Plate 12”	300	10	50
G08-02	Compactor Plate 14”	350	11	62
G08-025	Compactor Plate 16”	400	13	74
G08-03	Compactor Plate 20”	500	15	83

Forward Reverse Compactor Plate

A highly manoeuvrable compaction plate suitable for heavy duty applications or where one way plates are not suitable. The operator can control the forward or reverse direction speed by pushing or pulling on the handle. Often used for compaction in trenches.

- Low vibration handle for increased operator comfort
- Rear wheels to enable easy transportation



Code	Item	Fuel	Width (mm)	Centrifugal Force (kN)	Weight (kg)
G08-04	Forward Reverse Plate	Diesel	400	25	160

Trench Rammers

For compacting trench bases, these machines come in either two stroke or four stroke and are designed with the professional contractor in mind. Four stroke machines provide heavier compaction but weigh more.

- Different feet sizes are available from 80mm to 280mm
- Features the latest anti-vibration technology for maximum operator comfort and useage time



Code	Item	Impact Force (kN)	Weight (kg)
G08-06	Trench Rammer 2 Stroke	13.5	59
G08-06	Trench Rammer 4 Stroke	15	63

Pedestrian Vibrating Rollers

Single drum hand guided vibratory roller for light and heavy duty compaction. Supplied with a water tank if required for tarmac applications.

- Vibration dampened steering rod



Code	Item	Compaction Width (mm)	Centrifugal Force (kN)	Fuel	Weight (kg)
G08-07	Light Duty	560	10	Petrol	141
G08-08	Heavy Duty	710	16	Petrol	471



Generators and Welders

Hireforce
TOOL & EQUIPMENT HIRE

Portable Petrol Generators

Lightweight and portable generator suitable for the majority of lighting and small tool power requirements when away from the mains supply.

- 110v or 240v supply
- Junction boxes are available for hire if more sockets are needed



Code	Power (kVA)	Tank Volume (L)	Run Time @ 75% Load (hrs)	Weight (kg)	dBA@7m
H09-02	2.7	3.1	3.1	41	69
H09-023	3.4	3.1	2.5	42	71

Wheeled Petrol Generator

Larger petrol generators provide 6.5kVa output whilst still being lightweight enough to move easily around site or into vans.

- Junction boxes are available to hire if additional sockets required
- Can be supplied in frame or wheeled trolley variants



Code	Power (kVA)	Tank Volume (L)	Run Time @ 75% Load (hrs)	Weight (kg)	dBA@7m
H09-04	6.5	6.1	2.2	7.1	72

Diesel Generators - Trolley Mounted

Large silenced diesel generators suitable for heavy duty site work whilst still being reasonably portable. Long run integrated tank removes the need for continuous refueling. Ideal for temporary power requierments.

- Runs for between 10 and 41 hours depending on load.



Code	Power (kVA)	Tank Volume (L)	Run Time @ 75% Load (hrs)	Weight (kg)	dBA@7m
H09-05	6	24	17	231	59
H09-06	10	37	13	332	67

Site Generators

Silenced long run generators for heavy duty applications. Can be supplied towable or skid mounted.

- Distribution boards available for hire if extra sockets are needed
- Standalone fuel tanks available for hire for long run applications



Code	Power (kVA)	Tank Volume (L)	Run Time @ 75% Load (hrs)	Weight (kg)
X23-010-P0706	10	37	10	332
X23-010-P0707	20	120	21	825
X23-010-P0708	30	280	39	1545
X23-010-P0709	40	350	32	1675

Electric Welders

A wide range of mig and tig welders to suit any welding application.

- Speak to a member of our team for more details



Code	Item	Range (Amps)	Weight (kg)
H09-10	Mig Welder	160	10
H09-121	Tig Welder	180	6

Petrol Welders

Portable petrol welders suitable for a wide range of welding applications. Available in carry frame or trolley mounted for easy transportation



Code	Item	Range (Amps)	Weight (kg)
H09-11	Petrol Welder - 150A	30-150	34
H09-12	Petrol Welder - 200A	20-200	61

Diesel Welder Generator

Heavy duty silenced welder generator. Ideal for continuous on-site use and can weld mild steel up to 10mm thick. Fitted with multiphase outlets

- Can be used solely as a generator



Code	Item	Range (Amps)	Run Time (hrs)	Weight (kg)
H09-122	Diesel Welder/Generator	30-300	10.5	460



Woodworking and Fixing

Hireforce
TOOL & EQUIPMENT HIRE

Circular Saws

Professional circular saws for cutting timber. Best used in conjunction with dust extraction units (M14-10) to provide maximum protection from wood dust.

- Blades sold seperately



Code	Type	Blade Diameter (mm)	Max Cut Depth 90° (mm)	Max Cut Depth 45° (mm)	Power (kW)	Weight (kg)
I10-11	110v	190	66	46	1600	3.9
I10-111	110v	235	85	64	1550	7.2
I10-12	Cordless	165	57	40	18v	5.3

Mitre Saws

High quality mitre saws for precision cutting. The adjustable saw angle and swivel base allows the operator to cut compund angles to skirting, worktops etc. Sliding arm enables cutting of wider pieces.

- 2 point dust extraction
- Quick lock pre-set mitre angles for rapid adjustment
- Blades sold seperately



Code	Item	Blade Diameter (mm)	Max Cut Depth 90° (mm)	Max Cut Width 90° (mm)	Power (kW)	Weight (kg)
I10-13	Mitre Saw	260	90.5	130	1650	12.4
I10-13	Sliding Compound Mitre Saw	305	102	363	1650	26.5
I10-1313	Sliding Compound Mitre Saw Cordless	190	60	300	2 x 18v	13.5

Flipover Saw

The flipover saw gives the user the ability to switch between bench saw and mitre saw positions enabling a variety of cutting operations.

- Soft start
- Collapsible table for easy transportation
- Can be connected to a dust extractor (M14-10) to reduce dust emissions



Code	Blade Dia (mm)	Cutting Depth 90° (mm)	Cutting Depth 45° (mm)	Power (kW)	Weight (kg)
I10-14	250	68	68	1550	37

Table Saw

Professional heavy duty bench/table saw suitable for general site cutting tasks. Sturdy construction enables the operator to saw planks, panels and boards to size with maxiumum precision.

- Collapsible table for easy transportation
- Can be used in conjunction with a dust extractor (M14-10) to reduce dust emissions



Code	Item	Blade Dia (mm)	Cutting Depth 90° (mm)	Cutting Depth 45° (mm)	Power (kW)	Weight (kg)
I10-145	Table Saw	260	93	64	1500	34.1

Jigsaws

For cutting straight lines or curves in wood, sheet metal or plastics.

- Mitre setting up to 45°
- Blades available for purchase in branch



Code	Type	Power (W)	Weight (kg)
I10-15	110v	720	2.7
I10-16	Cordless	18v	3

Reciprocating Saws

For fast cutting of timber, sheet metal, pipes or profiles. Suitable for a wide variety of in-situ cutting applications.

- Blades available for purchase in branch



Code	Type	Power (W)	Weight (kg)
I10-17	110v	940	3.3
I10-18	Cordless	18v	3.6

Door Trimming Saw

This effective saw is specifically designed for cutting door bottoms whilst in-situ, saving the time and hassle of removing and reinstalling doors when trimming.



Code	Item	Blade Dia (mm)	Power (W)	Weight (kg)
I10-19	Door Trimming Saw	180	1000	12.5

Multi Tools

Lightweight oscillating cutter/sander which comes with a variety of cutters and a delta sanding head to suit a variety of applications.

- Accessories available to purchase in branch



Code	Item	Power (W)	Weight (kg)
I10-195	Multi Tool 110v	320	1.5
I10-196	Multi Tool Cordless	18v	4.2

Routers

Powerful plunge routers for cutting joints, grooves and rebates. Laminate trimmers are ideal for cutting small radii, chamfers and shaping edges.

- Cutters available for purchase in branch



Code	Item	Power (W)	Weight (kg)
I10-01	1/2" Router	1250	3.6
I10-02	Laminate Trimmer	440	1.3
I10-03	Worktop Jig	N/A	Various

Power Planers

For level reduction of timber surfaces, this electric planer comes with a dust bag for shavings.

- Can be connected to a dust extractor for improved sawdust extraction



Code	Item	Planing Width (mm)	Planing Depth (mm)	Power (W)	Weight (kg)
I10-04	Power Planer - Electric	82	2.0	620	2.8
I10-04	Power Planer - Cordless	82	2.0	18v	5.4

Orbital Sanders

1/3 to 1/2 sheet sanders for general sanding applications. Features a dust collection bag for reducing sawdust emissions.

- Can be connected to a dust extractor for improved sawdust extraction



Code	Item	Vibration: Sanding (m/s²)	Sheet Size	Power (W)	Weight (kg)
I10-06	Palm Sander	3	1/3	200	1.1
I10-07	Orbital Sander	2.5	1/2	330	2.9

Random Orbital Sander

These sanders produce a higher quality finish due to the random orbit of the sanding pad. Features a dust collection bag for reducing saw dust emissions. Takes velcro backed sanding discs.

- Can be connected to a dust extractor for improved sawdust extraction



Code	Item	Vibration: Sanding (m/s²)	Disc Size (mm)	Power (W)	Weight (kg)
I10-075	Random Orbital Sander	4	150	310	2.4

Belt Sander

Uses a sanding belt for heavier duty sanding jobs. Whilst less manoeuvrable than orbital sanders, belt sanders are ideal for working rough timber or sanding larger areas more rapidly.

- Can be connected to a dust extractor for improved sawdust extraction



Code	Item	Vibration: Sanding (m/s²)	Belt Width (mm)	Power (W)	Weight (kg)
I10-08	Belt Sander	2.5	100	1010	4.8

Dry Wall Sander

For sanding drywall joints and removing old finishes, this sander can reach 3m and should be connected to a dust extractor (M14-10) to remove fine dust.

- Sanding discs available to purchase in branch



Code	Item	Disc Size (mm)	Power (W)	Weight (kg)
M14-18	Dry Wall Sander	225	710	4.8

Floor Sander

Walk behind drum sander for cleaning up timber floors. Should be used with an edging sander to provide sanding right up to the skirting boards. Uses disposable dust bags.

- Bags available to purchase in branch



Code	Item	Vibration: Sanding (m/s^2)	Belt Width (mm)	Power (W)	Weight (kg)
I10-09	Floor Sander	1.6	203	1650	41.5

Edging Sander

For sanding up to skirting or the edge of flooring. Usually used in conjunction with a floor sander. Uses disposable dust bags.

- Bags available to purchase in branch



Code	Item	Vibration: Sanding (m/s^2)	Disc Size (mm)	Power (W)	Weight (kg)
I10-10	Edging Sander	2.71	178	1650	164

Cartridge Hammer

Semi-automatic cartridge hammer for fixing into concrete or steel. Adjustable power makes this tool ideal for fixing battens, brackets etc. to concrete, masonry or metal.

- Cartridges and nails available to purchase in branch
- Available to account holders only



Code	Item	Weight (kg)
I10-23	Concrete Nail Gun	3.64

Cordless Nail Guns

Extremely versatile gas powered cordless nailers for a variety of 1st and 2nd fix site applications such as stud walling and fixing roof battens. The combination of rechargeable batteries and gas cannisters mean the tool is truly portable.

- Gas cartridges and nails available for purchase in branch



Code	Item	Type	Nail Type	Max Size (mm)	Weight (kg)
I10-024	1st Fix - IM360	Straight	Ring	51-90	3.3
I10-024	2nd Fix - IM65	Straight	Brad	16-63	5.5
I10-024	2nd Fix - IM65A	Angled	Brad	32-63	2.1
I10-024	Stapler - IM200	Straight	Staple	16-40	3.1

Impact Wrenches

For fastening or unfastening nuts and bolts in a fast and efficient manner.

- Forward/reverse rotation
- Variable speed



Code	Item	Type	Socket (“)	Max Torque (Nm)	Power (W)	Weight (kg)
I10-27	Impact Wrench 1/2”	110v	1/2	250	500	2.1
I10-271	Impact Wrench 3/4”	110v	3/4	588	650	5.6
I10-272	Impact Wrench Cordless	18v	1/2	230	-	3.7

Dry Wall Screwdrivers

A lightweight and well balanced high speed screwdriver designed for fast fixing of materials with self drilling screws. Ideal for dry lining or roofing applications.

- Optional Tek head for using with Tek screws



Code	Item	Type	Power (W)	Weight (kg)
I10-031	Dry Wall Screwdriver	110v	570	1.5
I10-0311	Dry Wall Screwdriver Cordless	18v	-	3.8

Autofeed Screwdrivers

Highly efficient screwdriver which uses a belt feed system to allow rapid screwing of materials. Ideal for drylining or decking.

- Screws available to purchase in branch



Code	Item	Type	Screw Size Range (mm)	Max Screw Size (mm)	Power (W)	Weight (kg)
I10-32	Autofeed Screwdriver	110v	45-75	4 x 75	470	2.8
I10-32	Autofeed Screwdriver Cordless	18v	25-55	4 x 55	-	5



Site Electrics and Lighting

Hireforce
TOOL & EQUIPMENT HIRE

Powertool Transformers

Portable powertool transformers for small equipment use.
Power rating is for intermittent tool useage.

- Important - Rating is halved for continuous use



Code	Item	16A Outlets	32A Outlets	Weight (kg)
J11-04	3kVA Transformer	2	0	18.5
J11-05	5kVA Transformer	2	1	36
J11-065	3kVA Step-Up Transformer	2	0	18

Vented Transformers

Vented transformers are rated for non-stop use, meaning they are suited to equipment that runs continuously such as heaters which would otherwise overheat a powertool transformer.



Code	Item	16A Outlets	32A Outlets	Weight (kg)
J11-06	3kVA Continuos Rated Transformer (Vented)	0	1	35
J11-061	5kVA Continuos Rated Transformer	1	1	46

Site Transformers

Three phase or single phase site transformers with multiple 16A and 32A outlets for heavy duty power demand.

- Ratings are for continuos use
- Site transformers need to be hardwired
- MCB protected sockets



Code	Item	16A Outlets	32A Outlets	Weight (kg)
J11-07	5kVA Site Transformer	4	1	56
J11-085	10kVA Site Transformer	4	2	66
J11-080	5kVA Site Transformer - Three Phase	4	2	75

Extension Leads

A variety of extension cables enabling extended reach throughout sites.



Code	Item	Length (m)
J11-01	Extension Lead 110v - 16A	14
J11-02	Extension Lead 110v - 32A	14
J11-03	Extension Lead 240v - 16A	14
J11-04	Extension Lead 240v - 32A	14
J11-05	Extension Lead 415v - 32A	25

RCD Circuit Breaker

Essential for use with 240v equipment to provide an immediate power cut off in the event of a fault.



Code	Item	Weight (kg)
J11-10	240v RCD Circuit Breaker	1

Junction Boxes

Junction boxes provide multiple power outlets from one socket.



Code	Item	Outlets	Weight (kg)
J11-09	Junction Box - 110v 16A	4	3
J11-091	Junction Box - 110v 32A	2	6.5

Festoon Lights

Led Site lighting strings with bulb protectors. An ideal, low power solution for lighting areas where long linear coverage is required.



Code	Item	Length (m)	Bulbs	Bulb Lumens
J11-11	Festoon Lights	22	10	560

Uplights

Uplights provide 360° illumination and cast minimal shadow making them ideal for site working areas.

- Base includes 4 way splitter enabling linking of multiple lights.



Code	Item	Power (W)	Lumens	Weight (kg)
J11-12	Uplights	44	3600	4.3

Plasterers Lights

These site lights are ideal for plastering as they cast minimum shadow. All come with 110v sockets to allow lights to be linked together.



Code	Item	Power (W)	Lumens	Weight (kg)
J11-13	Plasterers Lights (5ft)	44	4050	9
J11-135	Contractor Lights (2ft)	30	2640	4.8

Floodlights

LED floodlights provide illumination over large areas making excellent site lights, suitable for a variety of applications.

- Maximum extended height 2.2m



Code	Item	Power (W)	Lumens	Weight (kg)
J11-145	LED Floodlights - Single Head	50	5500	5.5
J11-146	LED Floodlights - Twin Head	100	11000	9.2

Globe Light

360° LED light can be hung from the ceiling or wall or simply placed on the floor. Interlinkable up to 6m apart and suitable for a wide array of site lighting appliactions.



Code	Item	Power (W)	Lumens	Weight (kg)
J11-151	360° Globe Light	50	4000	2

Portable Worklight

Lightweight rechargeable light can be used as torch or placed to act as a work light. Ideal for small jobs where power is not available.



Code	Item	Lumens	Max Runtime at 100% (hrs)	Weight (kg)
J11-161	Portable Worklight	1800-6000	3	1.8

Magnetic Light

Magnetic LED floodlight for attaching to steelwork. Provides unobtrusive site lighting solution.



Code	Item	Power (W)	Lumens	Weight (kg)
J11-15	Magnetic Inspection Light	50	4000	3.2

Battery Light - Heavy Duty

LED rechargeable lights are ideal for emergency/inspection work when there is no available power supply. With various power settings, the portable site lights can be used in 3 configurations - torch mode, worklight or floodlight mode using the built-in 1.8m pole.



Code	Item	Lumens	Max Runtime at 100% (hrs)	Weight (kg)
J11-16	Battery Light - Heavy Duty	6600	8.5	7.8

LED Lighting Tower

Highly portable diesel lighting tower. Provides lighting to large outdoor areas. Day/night sensor ensures long running time.

- Certified for winds up to 80km/hr
- 140+ hrs hours runtime
- Multi directional floodlight
- Day/night sensor
- Auto start/stop function



Code	Item	Height Extended (m)	Lamps (W)	Total Lumen (Lm)	Lit Area (m^2)	Runtime (hrs)	Transport	Weight (kg)
X20-060	LED Tower Lighting	8.5	4 x 320	167300	4500	143	Road Tow	980

Mini Light Tower

Easily transportable mini diesel lighting tower. Extra power is available from the tower's 4.5kva generator for power tools.

- Multi directional heads
- Adjustable stabiliser legs
- Hand trolley or road tow option



Code	Item	Height Extended (m)	Lamps (W)	Total Lumen (Lm)	Lit Area (m^2)	Runtime (hrs)	Transport	Weight (kg)
X20-061	Mini Light Tower	5.4	4 x 200	100,000	2800	52	Hand Trolley	400



Pipework and Engineering

Hireforce
TOOL & EQUIPMENT HIRE

Pipe Threaders

Heavy duty machines for threading, cutting or reaming steel pipework up to 4" free. Machine features additional foot switch for maximum operator control.



Code	Item	Threading Capacity (mm)	Power (W)	Weight (kg)
K12-01	Rigid 300	50	1700	64
K12-011	Rigid 1233	75	1700	75
K12-02	Rigid 1224	100	1120	231

Portabe Threader

Portable power pipe threader which can be used hand held for pipework up to 2". Ideal for threading in-situ pipework or in operating in confined areas.

- Full set of dies and heads supplied




Code	Item	Max Pipe Size (mm)	Power (W)	Weight (kg)
K12-07	PortableThreader	50	1270	26

Manual Pipe Threader and Dies

Hand ratchet threader for quick threading operations.

- Provided with head and die set up to 2"



Code	Item	Max Pipe Size (mm)	Weight (kg)
K12-03	Manual Pipe Threader and Dies	50	15.8

Pipe Jointing Tool 110v

Electric radial pressing tongs for producing pipe press connections 10mm - 108mm in all common press fittings.

- Can press up to 108mm
- Secure crimping in seconds
- Swivelling tongs for easier access in tight areas
- Automatic locking of pressing tongs



Code	Item	Pipe Size Range (mm)	Weight (kg)
K12-14	Pipe Joining Tool - 110v	15-108	4.7

Pipe Jointing Tool Cordless

Cordless jointing machines are more verstaile than their corded equivalent, pressing up to 35mm with direct fitting.

- Requires an extra jaw set for press fittings up to 54mm
- Swivelling tongs for easier access in tight areas
- Automatic locking of pressing tongs



Code	Item	Pipe Size Range (mm)	Weight (kg)
K12-15	Pipe Joining Tool - Cordless	15-35	3.2
K12-15	Oversize Jaw Set 42mm - 54mm	42-54	N/A

Pipe Freezer


Pipe freezer allows rapid freezing of pipework enabling work to take place without draining the entire system.



Code	Item	Max Pipe Size (mm)	Weight (kg)
K12-06	Pipe Freezer	42	23

Pressure Tester

Manual pipe pressure tester for testing the integrity of installed or repaired pipework.



Code	Item	Pressure Range (psi)	Weight (kg)
K12-10	Pipe Presure Tester	< 380	12

Pipe Cutting Saw

Reciprocating saw with powerful motor for pipe cutting. Pipe clamp attaches the saw to the pipe enabling accurate, straight cuts.

- Blades can be purchased from branch



Code	Item	Power (W)	Weight (kg)
K12-10	Pipe Cutting Saw	1050	3.0

Pipe Benders

For on site bending of pipe or conduit. Supplied with different formers and guides to cope with different diameter tubing.



Code	Item	Pipe Size (mm)	Weight (kg)
K12-04	Pipe Bender and Stand	15, 22, 28	26
K12-04	Conduit Bender and Stand	20, 25, 32	27
K12-042	Hydraulic Pipe Bender	19-75	182

Pipe Vice and Stand

Solid pipe tri-stand with bending holes and tool store capacity. Chain pipe vice for securing pipe to be bent or cut.



Code	Item	Weight (kg)
K12-11	Pipe Vice and Stand	17

Pipe Working Accessories

A variety of pipe working equipment and accessories.



Code	Item
K12-05	Chain Pipe Cutter
K12-08	Stillson 24”
K12-09	Stillson 36”
K12-13-B001	Pipe Cutters
K12-13-B002	Pipe Stand
K12-13-B003	Pipe Vice
K12-13-B004	Oil and Bucket Pump



Heating, Cooling and Drying

Hireforce
TOOL & EQUIPMENT HIRE

Fan Heater

Robust industrial fan heater suitable for smaller spaces such as site huts and garages.

- Features 3 heat settings
- Adjustable fan speed



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-01	Industrial Fan Heater	10,200	3	5

Convector Heater

Lightweight 240v commercial convector heater. Ideal for rapidly heating small areas such as offices or site cabins.

- Features 3 heat settings
- Adjustable thermostat



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-02	Convector Heater 240v	6,800	2	2

Oil Filled Radiator

Quiet running and stylish. These heaters are ideal for domestic or commercial heating applications such as schools, offices or showrooms.

- Features timer function



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-12	Oil Filled Radiator	6,800	2	11

Infrared Heater

Infrared heaters are ideal for draughty or open working environments such as workshops, warehouses and construction sites.

- Features two power settings



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-03	Infrared Heater	10,200	3	15

LPG Bin Heater

Bin heaters require no electric supply and so are ideal for general site use, heating warehouses or factories. Heat is generated 360° around the heater.

- Area must be well ventilated
- Propane gas is available to purchase in branch



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-045	Bin Heater	84,000	25	12

Catalytic Heaters

Butane fired catalytic heaters are portable and have no visible flame making them suitable for a wide variey of applications such as shops offices and homes.

- Features 3 heat settings
- Gas available for purchase in branch



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-04	Catalytic Heater	11,600	3.4	12

Propane Space Heaters

Propane space heaters are the most powerful direct fired gas heaters, rapidly producing large volumes of warm air. They are best suited for large well ventilated areas such as warehouses, construction sites or factories.

- Area to be heated must be well ventilated
- Can be run from two bottles at once for longer operation
- Gas available to purchase in branch



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-06	Propane Heater - Medium	180,000	53	14
L13-062	Propane Heater - Large	250,000	73	16

Indirect Diesel Heater

These portable heaters have an in-built fuel tank and just need plugging in to heat large areas. The combustion and exhaust gases are kept separate from the air being heated, making them safe for areas where people are present. They are usually sited outside with the warm air ducted into the desired area.

- Ideal for heating marquees and temporary structures



Code	Item	Max btu/hr	Heating Power (kW)	Fuel Tank (L)	Run Time @ 100% Power (hrs)	Weight (kg)
L13-05	Indirect Diesel Heater - Medium	167,200	49	65	13	67
L13-051	Indirect Diesel Heater - Large	290,000	81	105	12.5	101
L13-09-B001	Ducting - 8m	-	-	-	-	-

Portable Air Conditioners

Fully portable air conditioners which will create a cool environment in even the hottest working conditions. Suitable for domestic, commercial or retail environments.

- Features oscillating louvres for even cooling distribution
- Features adjustable thermostat
- Requires exhaust to be vented via a window or door
- Please contact our depot for specialist advice on which unit you require



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-065	Small Air Conditioner	10,000	2.9	25
L13-065	Medium Air Conditioner	16,000	4.7	37

Commercial Air Conditioners

Heavy duty air conditioners suitable for commercial or industrial environments. Gives rapid cooling in the hottest of environments.

- Flexible arms direct cooling
- Ideal for IT server rooms or warehouses where spot cooling is required
- Runs off 240v mains power
- Extra ducting can be hired



Code	Item	Max btu/hr	Heating Power (kW)	Weight (kg)
L13-065	Heavy Duty Air Conditioner	21,000	6.1	86

Commercial Fan

Heavy duty cooling fan ideal for cooling groups of people in industrial or commercial environments such as offices or gyms.

- Tilt adjustable head



Code	Item	Air Flow (cfm)	Weight (kg)
L13-087	Industrial Fan 500mm	5,500	85

Warehouse Fan

Belt driven turbo fan moves huge volumes of air - suitable for larges areas such as warehouses, factories or sports halls.

- Covers areas up to 325m^2



Code	Item	Air Flow (cfm)	Weight (kg)
L13-085	Warehouse Fan 900mm	20,000	85

Carpet Drying Fan

Carpet dryers are special fans used to dry carpets after flooding. The air is delivered at ground level so that it can be directed under or over the carpet.

- More effective when used in conjunction with dehumidifiers



Code	Item	Air Flow (cfm)	Weight (kg)
L13-086	Carpet Dryer	2800	17

Fume Extractors

Portable unit that pulls unwanted fumes or dust from an area and discharges it into the atmosphere. Can be used with extra ducting to extract over longer distances.

- One length of ducting supplied as standard
- Ducting can be fixed to either side of the unit



Code	Item	Air Flow (cfm)	Fan Size	Power (W)	Weight (kg)
L13-10	Fume Extractor - Small	80	200	150	9
L13-101	Fume Extractor - Medium	195	300	520	14
L13-102	Fume Extractor - Large	430	450	1700	27
L13-09-B001	Extra Length 5m Ducting	-	-	-	-

Air Cleaners

Air cleaners use H Class filters to continually filter the air in an area. They can be used to protect personnel in any area that sees a build up of dust.

- Can also be used with ducting



Code	Item	Air Flow (cfm)	Weight (kg)
L13-11	Air Cleaner	1088	30

Dehumidifiers

Dehumidifiers are invaluable in speeding up the drying process. Ideal for preventing fungus taking hold after floods and for drying plaster and screeds etc. Can extract up to 30 litres of water in 24hrs.



Code	Item	Max Room Size (m^3)	Power (kW)	Weight (kg)
L13-07	Dehumidifier - Compact	115	620	30
L13-08	Dehumidifier - Large	160	950	45



Cleaning and Decorating

Hireforce
TOOL & EQUIPMENT HIRE

Electric Pressure Washer

Electric cold water pressure washers, ideal for cleaning patios, vehicles, drives etc. Can draw in cleaning products for more effective cleaning.



Code	Item	Pressure (Psi)	Volume (lpm)	Weight (kg)
M14-02	Electric Heavy Duty Pressure Washer	1500	6.5	22

Steam Cleaner

Steam cleaners are fitted with chemical tanks and are ideal for industrial applications removing oils and grease.



Code	Item	Pressure (Psi)	Volume (lpm)	Weight (kg)
M14-06	Steam Cleaner 32A	1450	11	180

Petrol Pressure Washer

Compact petrol pressure washer ideal for heavy duty cleaning. Water can be from a mains supply or drawn from a water butt.

- Can be connected to cleaning agent



Code	Item	Pressure (Psi)	Volume (lpm)	Weight (kg)
M14-03	Petrol Pressure Washer	2000	13.2	67

Diesel Pressure Washer

Easily manoeuvrable diesel pressure washer for use when only heavy duty power cleaning will get the job done. Can draw from a water tank if no mains water is available.

- 15m hose reel for maximum versatility
- Key start ignition
- Chemical agent feed



Code	Item	Pressure (Psi)	Volume (lpm)	Weight (kg)
M14-05	Diesel Pressure Washer	3000	15	147

Mini Pressure Washer Bowser

Trolley mounted petrol pressure washer complete with integral bowser allows powerful pressure washing for up to 12 minutes in difficult to reach areas or where no water supply is available.

- All terrain tyres for rugged site work
- Can be connected to cleaning agent



Code	Item	Pressure (Psi)	Volume (lpm)	Water Tank (L)	Weight (kg)
M14-035	Mini Pressure Washer Bowser	2000	10	125	105 (Dry)

Towable Pressure Washer Bowser

This towable 3000psi diesel pressure washer feeds straight from its 960 litre bowser allowing it to be driven straight to the required area and used instantly without any set up.

- Run time of 60 minutes
- Integrated cleaning agent tank



Code	Item	Pressure (Psi)	Volume (lpm)	Water Tank (L)	Weight (kg)
M14-036	Pressure Washer Bowser	3000	15	960	500 (Dry)

Small Vacuum

Small commercial vacuum for dry cleaning only. Ideal for office cleaning or final site clean. Can be supplied in 110v or 240v.

- Requires vacuum bags
- Bags can be purchased in branch



Code	Item	Capacity Dry (L)	Capacity Wet (L)	Power (W)
M14-07	Henry Vacuum	6	N/A	1100

Wet & Dry Vacuum

Can be used either wet or dry depending on the filter used. Unit has a large 40L water capacity and comes complete with a drain hose for hassle free emptying.

- Using dry requires vacuum bags
- Bags can be purchased in branch



Code	Item	Capacity Dry (L)	Capacity Wet (L)	Power (W)
M14-08	Wet & Dry Vacuum	23	15	2120

Wet Pick Up Vacuum

Large heavy duty wet pick-up vacuum with 70L water capacity for industrial use. Features a safety float valve and easy use dump hose for rapid emptying of water.



Code	Item	Capacity Dry (L)	Capacity Wet (L)	Power (W)
M14-081	Wet Pick-Up Vacuum	90	70	2120

Dust Extraction Vacuum

Dust extractors for use with a wide range of powertools and equipment when there is a requirement to remove dust at source. The M-Class filter means that less than 0.1% of the intake dust escapes the unit. These units clean the filter automatically with a reverse air pulsing system meaning there is little or no time spent cleaning filters.

- Requires dust bags (available to purchase in branch)



Code	Item	Capacity Dry (L)	Power (W)	Weight (kg)
M14-10	Dust Extraction Vacuum	36	1100	14.7

Heavy Duty Dust Extractor

Robust and powerful triple motor dust extractor for use with dust intensive machines such as concrete grinders and floor planers.

- External filter shaker
- Large wheels handle site conditions
- Requires a 5kVA transformer



Code	Item	Capacity Dry (L)	Power (W)	Weight (kg)
M14-105	Heavy Duty Dust Extractor	100	3000	66

Floor Scrubber/Polisher

Floor cleaning machine that can be used wet or dry. Can be fitted with scrubbing brush or buffing pads.

- Features on-board water tank
- Pads can be purchased in branch



Code	Item	Brush Width (mm)	Power (W)	Weight (kg)
M14-085	Floor Scrubber/Polisher	450	1500	32

Floor Scrubber Dryer

Ideal for workshop or commercial hard floors, this machine has built in water tanks for clean and dirty water. The powerful vacuum head at the rear of the unit leaves the floor dry.



Code	Item	Brush Width (mm)	Power (W)	Weight (kg)
M14-09	Floor Scrubber Dryer	450	2710	30

Carpet Cleaners

A range of carpet cleaners for either domestic or commercial applications. Commercial carpet cleaners are ideal for high useage areas such as schools or offices.

- Carpet cleaning fluid available to purchase in branch
- Supplied with an upholstery tool



Code	Item	Tank Size (L)	Power (W)	Weight (kg)
M14-11	Domestic Carpet Cleaner	10	1250	10.7
M14-12	Commercial Carpet Cleaner	14	1750	22.5

Airless Sprayer - Medium Duty

High pressure paint spraying units provide fast even application of paint or other coatings to large areas. Ideally suited for residential property maintenance and small commercial applications.

- 15m spray hose as standard
- Ensure correct tip is used for paint to be applied
- Spray tips can be purchased in branch



Code	Item	Max Delivery (lpm)	Max Pressure (psi)	Power (W)	Weight (kg)
M14-15	Airless Sprayer - Medium	2.05	3300	650	16

Airless Sprayer - Heavy Duty

Heavy duty paint sprayer delivering up to 3 litres per minute. Designed for extended, heavy-duty performance on larger residential and commercial projects.

- 15m spray hose as standard
- Ensure correct tip is used for paint to be applied
- Can spray fire retardant paints
- Spray tips can be purchased in branch



Code	Item	Max Delivery (lpm)	Max Pressure (psi)	Power (W)	Weight (kg)
M14-155	Airless Sprayer - Large	3.03	3300	1100	32

Portable Air Compressors

A wide variety of portable compressors suitable for paint spraying or powering tools and equipment.

- Will power a range of heavier duty air equipment such as needle guns and paint sprayers



Code	Type	Air Output (cfm)	Tank Volume (L)	Weight (kg)
M14-142	110v	7	20	16
M14-143	110v	10	50	38
M14-144	110v	14	100	57
M14-141	Petrol	14	150	91

Hot Air Gun

Electric heat gun with variable temperature control for various uses such as pipework or stripping paint.

- Supplied with range of heads



Code	Item	Heat Range (°C)	Power (W)	Weight (kg)
M14-17	Hot Air Gun	50 - 650	1600	0.71

Wallpaper Stripper

Provides a constant jet of steam to loosen wallpaper and make easy work of stripping.

- Use a perforator on thick or old wallpaper to improve steam penetration



Code	Item	Usage Time Per Tank (mins)	Power (W)	Weight (kg)
M14-12	Wallpaper Stripper	90	2750	8.65
M14-13-B01	Wallpaper Perforator	-	-	-



Pumps

Hireforce
TOOL & EQUIPMENT HIRE

Puddle Pump

Electric pump able to remove water down to 1mm above floor level. Useful for draining large areas of nuisance water on flat surfaces.

- Can be left to run unattended for periods of time
- Can be fully submerged



Code	Item	Flow (l/min)	Max Pumping Height (m)	Outlet (mm)	Power (W)	Weight (kg)
N15-01	Puddle Pump	170	11	25	480	12

Submersible Pumps

Electric submersible pumps are capable of shifting high volumes of water quickly. No setup, just lower the pump in and switch on.

- Provided with one 6m length outlet hose
- Extra lengths of hose can be requested
- Can be provided with a float for automatic switching on/off



Code	Item	Flow (l/min)	Max Pumping Height (m)	Outlet (mm)	Power (W)	Weight (kg)
N15-02	2” Submersible Pump	225	11	50	480	13.5
N15-025	3” Submersible Pump	310	18	75	750	19.6

Centrifugal Pumps

Petrol pumps provide pumping capacity where no power is available. For clean or dirty water with max 6mm solid particles.

- Pump requires priming
- Pump should not be allowed to run dry
- Supplied with 6m outlet hose
- Extra outlet hoses availabe on request



Code	Type	Max Solids (mm)	Outlet (mm)	Flow (l/min))	Max Suction Height (m)	Total Head (m)	Weight (kg)
N15-03	Petrol	6	50	620	6	32	21
N15-031	Petrol	6	75	1100	6	28	26

Diaphragm Pumps

Diaphragm pumps are robust site pumps that can handle water with solids up to 40mm. These pumps are able to run dry and are ideal for use on construction sites.

- Self Priming
- Supplied with 6m suction and outlet hose
- Extra outlet hose available on request



Code	Type	Max Solids (mm)	Outlet (mm)	Flow (l/min)	Max Suction Height (mm)	Total Head (m)	Weight (kg)
N15-045	Petrol	20	50	188	6	18	45
N15-05	Diesel	40	75	375	7	20	165

Pump Accessories

Extra hose is available for all our pumps. Supplied in 6m lengths.



Code	Item
N15-06	Handheld Barrel Pump
N15-004-B07	Additional 2” Pump Hose per 6m
N15-004-B08	Additional 3” Pump Hose per 6m



Gardening

Hireforce
TOOL & EQUIPMENT HIRE

Hedge Trimmers

Powerful and efficient hedge trimmers for jobs ranging from domestic tasks to commercial projects and landscaping maintenance.



Code	Item	Blade Length (mm)	Power	Max Twig Diameter (mm)	Weight (kg)
O16-01	Hedge Trimmer - Electric	550	240v	18	3.1
O16-015	Hedge Trimmer - Cordless	520	18v	15	3.9
O16-02	Hedge Trimmer - Petrol	600	2 Stroke Petrol	30	4.7

Long Reach Hedge Trimmer

Long reach hedge trimmers are used for trimming jobs out of reach of the standard hedge trimmer. Allows for trimming extra high or wide hedges without the need for working platforms



Code	Item	Blade Length (mm)	Power	Max Twig Diameter (mm)	Weight (kg)
O16-025	Long Reach Hedge Trimmer	500	2 Stroke Petrol	30	6.9

Heavy Duty Strimmer

Petrol brushcutters or strimmers are ideal for clearing overgrown areas such as verges, pathways and embankments. Able to handle rough overgrowth such as brambles and nettles.

- Different heads available for any application



Code	Item	Power	Weight (kg)
O16-03	Petrol Heavy Duty Strimmer	2 Stroke Petrol	5.8

Leaf Blower

Ideal for cleaning up leaves or debris on pathways, driveways and car parks.



Code	Item	Weight (kg)
O16-125	Leaf Blower - Petrol	4.7

Cultivator

Cultivators are ideal for turning over loose ground in areas such as vegetable patches, reducing the need for spade work.

- Foldable wheel and handles for easy transportation



Code	Item	Working Width (mm)	Power (hp)	Weight (kg)
O16-04	Cultivator 5hp	640	5	75

Rotovators

Heavy duty rotovators are ideal for turning over compacted and old soil.

- Forward and reverse drive ensuring maximum versatility
- Dead man's handle for operator safety



Code	Item	Working Width (mm)	Power (hp)	Weight (kg)
O16-05	Rotovator 8hp	520	8.4	108
O16-05	Hydraulic Rotovator	660	11.7	158

Heavy Duty Lawn Mower

Professional petrol rotary lawnmower. Adjustable height and powerful engine means overgrown lawns can be handled with ease.

- Self-propelled
- Dead man's handle for extra safety



Code	Item	Cutting Width (mm)	Weight (kg)
O16-06	Heavy Duty Mower	450	31

Turf Lifter

This petrol engined machine can strip large areas of lawn. Leaves strips of turf which can be easily rolled for transportation or laying elsewhere.

- Features adjustable cutting depth



Code	Item	Cutting Strip Width (mm)	Weight (kg)
O16-07	Turf Lifter	300	79

Lawn Aerator

Petrol lawn aerator that is used to spike or core heavily thatched lawns to help with proper circulation of air, water and nutrients.

- Can be fitted with spikes or hollow corers



Code	Item	Working Width (mm)	Tine Spacing (mm)	Weight (kg)
O16-10	Lawn Spiker/Aerator	400	120	103

Lawn Scarifier

Petrol lawn scarifiers are used to remove heavy moss or thatch from a lawned area helping to aerate the soil and thus promote healthy grass growth.

- Treat lawn with moss killer before use for improved efficiency



Code	Item	Raknq Width (mm)	Weight (kg)
O16-076	Lawn Scarifier	420	68

Chainsaw and Safety Kit

Chainsaws for the most demanding professionals for tree surgery or cutting timber.

- Must be used with a full safety kit
- New chain sold with every hire
- Only available for hire to trained operators



Code	Item	Bar Length (“)	Power (hp)	Weight (kg)
O16-11	Chainsaw with safety kit	14	2.7	5.1

Pole Saw

Long handled petrol pole saws are designed to trim branches up to approximately 5 metres high from the safety of the ground.

- Fitted with telescopic handle
- Saw chain sold seperately



Code	Item	Bar Length (mm)	Power (hp)	Weight (kg)
O16-12	Pole Saw	12	1.9	7.2

Log Splitter

Generating 8 tonnes of force, the 240v hydraulic log splitter provides a quick, efficient and above all, safe way to split large volumes of logs for firewood.

- Simple lever operation



Code	Item	Max Log Width (mm)	Power (W)	Weight (kg)
O16-13	Log Splitter	400	2200	125

Post Hole Borer

Petrol post hole borer makes easy work of digging post holes. Designed for use by a single operator.

- Quick stop drill break engages when machine is stuck
- Different diameter augers available



Code	Item	Max Auger Size (mm)	Weight (kg)
O16-09	Post Hole Borer	300	10

Tree Stump Grinder

This easy to manoeuvre machine employs a powerful chipping head which grinds tree stumps down to as much as 13" below ground level.

- Dead man's handle for operator safety



Code	Item	Cutting Depth Below Soil (mm)	Power (hp)	Weight (kg)
O16-10	Tree Stump Grinder	325	11.7	136

Wood Chipper

A heavy duty machine for reducing branches and twigs to chippings for easy disposal. Ideal for landscapers and domestic users alike. A powerful petrol engine minimises blockages and handles branches up to 3" whilst the pneumatic tyres ensure easy maneuverability.

- Chippings can be used as a landscaping material



Code	Item	Chipping Capacity (mm)	Power (hp)	Weight (kg)
O16-08	Wood Chipper - Petrol Heavy Duty	75	13	188

Wood Chipper - Road Towable

Ideal for use by landscapers and tree surgeons, wood chippers provide high performance chipping dealing with branches up to 6" and delivering an exceptional work rate of up to 5 tonnes per hour.

- Sub 750g towing weight
- 280° adjustable discharge



Code	Item	Chipping Capacity (mm)	Weight (kg)
O16-085	Wood Chipper - Diesel Heavy Duty	160	749



Survey and Safety

Hireforce
TOOL & EQUIPMENT HIRE

Site Optical Level

Automatic optical level suitable for all general construction surveying jobs.

- Simple to use
- Various magnifications available
- Robust construction



Code	Item	Magnification (x)	Optical Accuracy (mm)	Weight (kg)
P17-03	Site Optical Level	20	2.5	2

Exterior Rotating Laser

A professional but simple leveling solution for general contracting work such as setting foundations, formwork leveling and concreting pouring.

- Fully automatic leveling system
- Simple one button operation minimises errors
- Rugged design
- Rod Eye available for hire if required



Code	Item	Operational Range (m)	Self Levelling Accuracy	Battery Life (hrs)	Weight (kg)
P17-04	Rotating Laser – Leica 620	600 (with RE)	1.5mm at 30m	40+	2.6

Total Station

Reflectorless total stations that can store up to 24,000 memory points. This fully connected station is able to take on any surveying job, no matter how complex.

Contact branch for more detailed information



Code	Item	Technical Spec
P17-05	Total Station	Ask in branch for details

Pipe Laser

Pipe lasers are used when installing underground pipes that need specific fall gradients such as drainage systems.

- Will fit inside 4" pipe



Code	Item	Distance Range (m)	Grade Range (%)	Battery Life (hrs)	Weight (kg)
P17-07	Pipe Laser	200	-15 - +30	40+	2

Cross Line Laser

Self levelling interior lasers with vertical and horizontal fan lasers to create a solid line on any wall or surface. Ideal for accurate placing of suspended ceilings and dry walls amongst other things.

- 180° horizontal laser fan angle
- Can be used with a reciever



Code	Item	Distance Range (m)	Weight (kg)
P17-08	Interior Laser	25	0.53

Survey Accessories

A range of accessories for all surveying applications.



Code	Item
P17-99-B001	Tripod
P17-99-B002	Staff
P17-99-B003	Rod Eye Receiver

Cable Locator

Underground cable locator designed to accurately and reliably locate buried utilities. Should be used before deep excavation is carried out to minimise risk of danger and expensive damage.

- Advanced models can store up to 2 years worth of user data including GPS data if required
- Speak to a member of our team for more details



Code	Item	Power Mode Frequency	Radio Mode Frequency
P17-01	Cable Locator	50Hz - 1.5kHz	15Hz - 30kHz

Precision Cable Locator

Designed to provide the most advanced cable location peformance for damage prevention professionals. Enables experienced operators to accurately detect even the extremely small signals associated with difficult to locate underground utilities.

- Speak to a member of our team for more details



Code	Item	Cable and Pipe Locate Frequencies
P17-012	Precision Cable Locator	Contact depot for details

Signal Generators

Used in conjunction with cable and pipe locators, signal generators transmit an output frequency designed to facilitate the location of underground cables and utilities.

- Advanced signal transmitters provide a wider range of frequencies detected by precision cable locators



Code	Item	Induction Mode Signal (Hz)
P17-011	Signal Generator - Standard	33/131
P17-03	Advanced Signal Transmitter	Contact depot for details

Sonde

Commonly referred to as a mouse, the Sonde allows users to trace underground pipes, ducting and other non conducting utilities. Battery operated and screws on to the end of cobra reels.

- Use in conjunction with cable locator



Code	Item	Frequency (Hz)
P17-02	Sonde	33

Cobra Reels

Versatile fibreglass duct rods that can be used for locating drains, sewers or for installing cables.

- Threaded end for various ancililliary fittings including sondes
- Supplied in various lengths



Code	Item
P17-06	Cobra Reel - 50m
P17-06	Cobra Reel - 100m
P17-061	Cobra Reel - 150m
P17-062	Cobra Reel - 200m

Drain Inspection Camera

For carrying out professional drain inspection surveys or finding unwanted blockages such as tree roots.

- Camera head can be detected by cable locator



Code	Item
P17-10	Drain Inspection Camera

Multi Detector

Versatile detector to find rebar, metal and plastic pipes, live wires cables and wood for safe drilling.

- Detects objects up to 150mm
- Classifies materials up to 60mm



Code	Item	Scan Depth (mm)
P17-11	Multi Detector- Hilti PS50	150

Rebar Locator

Concrete detector for rebar localisation, depth measurement and size estimation in structural analysis.

- Contact depot for more technical information



Code	Item	Scan Depth (mm)
P17-12	Rebar Locator	200

Noise Meter

Measures environmental noise where sound and acoustics are a concern.

- Accurate to Class 2 (IEC60651)



Code	Item	Measurement Range (dB)	Weighting
P17-13	Noise Meter	30-130	A & C

Gas Detector

Rugged portable 4 gas detector warns the operator of hazardous gas at levels above user-defined alarm setpoints.

- Acoustic/visual/vibration alarm
- Gas detection FLAM/O2/H2S/CO



Code	Item	Battery Life (hrs)	Charge Time (hrs)
P17-14	Standard 4 Gas Detector	24	4

Safety Tripod and Winch

Portable tripod for gaining temporary acces to confined spaces such as wells, sewage systems, inspection shafts etc. Swivel mounted feet with anti slip pads provide stability and peace of mind.

- Adjustable legs



Code	Item	Leg Dia (m)	Closed Height (m)	Weight (kg)
P17-15	Safety Tripod and Winch	0.75 - 1.43	1.75	20

Escape Set

Emergency breathing apparatus that provides protection against a lack of oxygen for 15 minutes.

- Permanent display of remaining time
- User must be trained



Code	Item	Max Use Time (min)	Weight (kg)
P17-16	15 Minute Escape Set	15	5.2

Two Way Radios

Two way licence free radio broadcasting on PMR446 frequencies offers a cost-effective communication solution.

- Rugged design for construction environment
- Supplied with multi charging station
- Advanced voice activation for ease of use



Code	Item	Range (m^2)	Channels	Battery Life (hrs)
P17-09	Two Way Radio	16250	8	20

Fall Arrest Blocks

Fall arrest block with self retractable cable for use with a full body safety harness and fixed roof lanyards only. Immediately arrests any fall without jarring.

- Reduces impact force to <6kN
- Anchoring point with screwgate karabiner



Code	Item	Weight (kg)
P17-181	Fall Arrest Block - 6m	5.2
P17-182	Fall Arrest Block - 10m	6.95
P17-183	Fall Arrest Block - 15m	10.5
P17-184	Fall Arrest Block - 20m	11.25
P17-185	Fall Arrest Block - 25m	11.5

Fall Arrest Retrieval Blocks

Similar to standard fall arrest blocks with a self retracting cable but with the addition of an integrated winch. In the event of a fall and/or an incapacitated user, the operative can then be winched to safety.

- Reduces impact force to <6kN
- Anchoring point with screwgate karabiner



Code	Item	Weight (kg)
P17-191	Fall Arrest Retrieval Block - 15m	11.5
P17-192	Fall Arrest Retrieval Block - 25m	15

Safety Harnesses and Lanyards

A range of full body safety harness and lanyards available to suit your situation. Please ensure that you specify which type of harness you require.



Code	Item
R19-03	Safety Harness
R19-035	Restraint Lanyard

Mobile Roof Anchor

Temporary man anchor for use on roofs where no handrail or anchor point is available. Using a modular build system, these single or two person anchors can be used with direct line attachments or fall arrest blocks to provide multi-directional fall protection and restraint.

- Central anchoring point
- Full body safety harness must be used
- Easy to set up



Code	Item	Weight (kg)
R19-22	Mobile Roof Anchor - One Person	260
R19-221	Mobile Roof Anchor - Two Person	428

Fall Protection Bags

Fall protection bags that provide safety for a fall from height of less than 2m above the bed surface. Can be installed quickly in a variety of configurations for maximum useability.

- Ideal for housebuilders looking for fall protection
- Strapped together to prevent separation
- Foam filled to absorb energy



Code	Item	Technical Spec
X19-185	Fall Protection Bags	Contact branch for details



Lifting

Hireforce
TOOL & EQUIPMENT HIRE

Material Lifts

A range of manually operated material hoists that are ideal for on site lifts such as ducting, lintels etc. The compact, portable design rolls through standard single doorways and loads easily into vans.

- Telescopic mast system
- Extension forks can he hired additionally (Lifting capacity reduces when loading centre is further away from the pillar)
- Legs fold up for easy transportation



Code	Item	Max Lift (m)	Max Capacity (kg)	Stowed Height (m)	Weight (kg)
R19-01	SLA10	3.49	454	1.99	118
R19-011	SLA15	4.98	363	1.99	151
R19-012	SLA25	7.94	295	199	204
R19-99-B003	Extension Forks	-	-	-	2

Load Lifter

Versatile and more maneuverable than a material lift, this genie lift has 3 modes of operation - hand truck, forklift or dolly. Ideal for shipping/receiving heavy material onto shelves, HVAC installation and repair etc.

- Hand operated winch raises or lowers load



Code	Item	Max Lift (m)	Max Capacity (kg)	Stowed Height (m)	Weight (kg)
R19-015	GL4	1.8	227	1.70	57
R19-016	GL8	3.06	182	1.72	66
R19-017	GL10	3.56	159	2.00	68

Manual Chain Hoists

Manual heavy duty chain hoists for lifting and lowering of equipment up to 10 Tonnes.

- Swivel hooks top and bottom



Code	Capacity (kg)	Lift Height (m)	Weight (kg)
R19-171	500	3	9
R19-172	500	6	11
R19-173	500	9	13
R19-174	1000	3	11
R19-175	1000	6	13.5
R19-176	1000	9	16
R19-177	2000	3	18
R19-178	2000	6	22
R19-179	2000	9	26
R19-180	3000	3	28
R19-181	3000	6	35
R19-182	3000	9	44
R19-183	5000	3	44
R19-184	5000	6	50
R19-185	5000	9	58

Ratchet Lever Hoists

Ratchet lever hoists are ideal for pulling or lifting loads where the operator is close to the hoist block.



Code	Capacity (kg)	Lift Height (m)	Weight (kg)
X19-240	750	3.5	15
X19-241	1500	3.5	20
X19-242	3000	2.5	30
X19-243	6000	2.5	32

Electric Chain Hoist

Electric chain hoists take the hard work out of hoisting and are therefore suitable where numerous hoisting operations are required. Can operate continuously for 30 minutes.

- Available up to 3t SWL and 30m lift



Code	Item	Technical Spec
X19-250	Electric Chain Hoist	Contact depot for details

Air Chain Hoist

Powered chain hoists suited to working in petrochemical and hazardous work environments.

- Available up to 25t SWL and hoist heights up to 18m
- Filter lubricator required



Code	Item	Technical Spec
X19-260	Air Chain Hoist	Contact depot for details

Minifor Hoist

A portable and compact steel cable hoist. Ideal for use in tight spaces, the minifor provides quick lifting with an almost unlimited height. Available with 300kg or 500kg SWL.

- Cables available for hire 20 - 120m long



Code	Item	Technical Spec
X19-270	Minifor - Electric	Contact depot for details

Scaffold Hoist

A reliable powered hoist for getting material up a scaffold quickly and safely.

- Clamps to a vertical scaffold pole
- Accessories available



Code	Item	Lift Height (m)	Lifting Speed (m/min)	SWL (kg)
X19-20	Scaffold Hoist	30	19	200

Lifting Chains

2 and 4 leg lifting chains available in varying lifting capacities and lengths.

- Speak to a member of our team for more details




Code	Item	Technical Spec
X19-280	Lifting Chains	Contact depot for details

Test Weights

20kg handweights commonly used for accurate load testing of lifts or using as counterweights. Easily transported in accompanying baskets and trolley.

- Built in handle



Code	Item
R19-230	20kg Handweight
R19-231	Test Weight Trolley
R19-232	Test Weight Basket

Portable Gantries

Portable gantries are easily assembled on site to aid with mechanical lifts. Their light weight makes them easily transportable and quick to set up on site. Available in a wide variety of heights, spans and lifting capacities.

- A frames have braked swivel castors



Code	Item	Technical Spec
X19-230	Portable Gantry	Contact depot for details

Beam Clamps

Beam clamps enable the user to easily create a rigging point for lifting operations. Screw bar easily adjusts to beam width.

- Full range of capacities availble up to 25t SWL



Code	Item	Technical Spec
R19-24	Beam Clamps	Contact depot for details

Beam Trolleys

These heavy duty trolley clamps allow the user to not only lift heavy loads but to transport them along the length of a beam with ease.

- Full range of capacities up to 10t SWL



Code	Item	Technical Spec
R19-25	Beam Trolleys	Contact depot for details

Bumpa Hoists

Bumpa hoists are puposely built to get tiles and slates up to a roof in the safest and most efficient way, reducing manual labour. Can be reversed to bring material down.

- Can load 1000 tiles in 25 minutes
- Can run in forward or reverse
- Petrol and electric versions available
- Electric version requires a 5kVA transformer



Code	Item	Length (m)	Max Angle (°)	Max Working Height (m)	Max Carrier Payload (kg)	Max Overall Payload (kg)	Weight (kg)
R19-13	Bumpa Hoist 110v	8	65	7	20	80	104
R19-131	Bumpa Hoist Petrol	8	65	7	20	80	110.6

Conveyors

Lightweight conveyor system saves labour by transporting site material out of awkward or difficult to reach site areas.

- Can be daisy chained to create long runs
- 60 tonnes per hour capacity
- Various lengths available
- Each conveyor has emergency stop button



Code	Conveyor Length (m)	Max Angle (°)	Speed (m/min)	Max Payload (kg)	Weight (kg)
X19-115	3.2	50	27/32	150	116
X19-116	4.4	50	27/32	150	160
X19-117	5.4	50	27/32	150	180

Suction Lifter

Triple suction cup lifters suitable for all materials with smooth, flat, air-tight surfaces such as glass, plastic, metal, coated wood, marble.



Code	Item	Working Load Limit (kg)
R19-04	Suction Lifter - 3 Cup	100

Kerb Lifter

Two man grab for the safe lifting and laying of kerbstones.

- Positioning bracket enables fine gap between kerbs



Code	Item	Working Load Limit (kg)	Grip Range (mm)	Weight (kg)
R19-15	Kerb Lifter	100	500-1045	11

Vacuum Slab Lifter - 25kg

Suction lifter for single man lifts of slabs and tiles. An additional two man handle can allow use by two operators thereby doubling the working load limit.



Code	Item	Working Load Limit (kg)	Weight (kg)
R19-151	Vacuum Slab Lifter - 25kg	25	5

Vacuum Slab Lifter - 150kg

Flexible and powerful hand operated laying device for dense products, such as granite or high quality concrete elements.

- Powered by 12v rechargeable battery



Code	Item	Working Load Limit (kg)	Weight (kg)
R19-152	Vacuum Slab Lifter - 150kg	150	16.5

Stone Magnet - 600kg

Powerful, cordless vacuum lifting device for laying of dense stone slabs, concrete elements, pipes and similar. Equipped with two vacuums, the second pump can be switched on for slightly porous materials.

- Enables laying with tight joints



Code	Item	Working Load Limit (kg)	Weight (kg)
X19-135	Stone Magnet 600kg	600	34 (without suction plate)

Vacuum Slab Lifter - 2.5t

Suitable for lifting predominantly non-porous concrete and natural stone elements. Fitted as standard with a load securing chain.

- Powered by 24v rechargeable battery



Code	Item	Working Load Limit (kg)	Weight (kg)
X19-136	Vacuum Slab Lifter - 2.5t	2500	151

Block Grab

Block grabs are fitted with a lifting eye and designed for easy transportation of unpalletised packs of blocks, bricks paviours etc.

- Should be used with a safety net at all times



Code	Item	SWL (kg)	Jaw Width (mm)	Weight (kg)
X19-137	Block Grab	1800	400-1100	200

Kerb grab

Suitable for moving kerb stones, steps and other precast stones etc. Fitted with a lifting eye.

- Adjustable grip width



Code	Item	SWL (kg)	Jaw Width (mm)	Weight (kg)
X13-138	Kerb Grab	500	10-570	29

Manhole Cover Lifter

Producing 1500kg of breakout force, this hydraulic lifter makes light work of lifting and moving heavy manhole covers.

- Dismantles for easy transportation



Code	Item	Working Load Limit (kg)	Weight (kg)
X19-139	Manhole Cover Lifter	1500	36

Pallet Trucks

Highly manoeuvrable hand pallet trucks for moving palleted goods or other loads on smooth surfaces.



Code	Item	Capacity (kg)	Fork Length (mm)	Fork Width (mm)	Weight (kg)
R19-02	Pallet Truck	2500	1150	525	115
R19-021	Long Reach Pallet Truck	2000	2000	525	199

All Terrain Pallet Truck

Ideal for moving palletised loads around building sites or over rough terrain thanks to the stable design and inflated tyres.

- Adjustable fork width



Code	Item	Working Load Limit (kg)	Weight (kg)
R19-26	All Terrain Pallet Truck	1200	225

Plasterboard Trolley

4 wheel trolley perfect for dry wall panels, sheeted timber, doors etc. Can be supplied in a compact version.

- Steerable front wheels



Code	Item	SWL (kg)	Weight (kg)
R19-05	Plasterboard Trolley	820	45

Rubble Trucks

Ideal for shopfitters, this 600l steerable PVC truck makes removal of general waste straightforward. Tilt the truck forward to empty it.

- Heavy duty metal version available for builders and demolition contractors



Code	Item	SWL (kg)	Volume (L)	Weight (kg)
R19-18	Tilt Rubble Truck UPVC	272	600	28
R19-181	Tilt Rubble Truck Steel	750	400	88.5

Block Cart

Allows easy transportation of bound or loose pavers, kerb stones, slabs, etc.

- Adjustable grip width 550 - 1050mm
- Turn the lever to grip the items being transported



Code	Item	SWL (kg)	Weight (kg)
R19-11	Block Cart	400	68

Tipping Skips

Enables a forklift to be used as a dump truck for moving materials. A hand lever at the rear operates the tipping mechanism.

- Various capacities available
- Contact depot for details



Code	Item	Weight (kg)
R19-16	Forklift Tipping Skip 1200L	750

Turntable Truck

Flat bed turntable trucks are able to turn tightly giving flexible movement of equipment in tight spaces such as warehouses or factories.

- T-bar handle for easy pulling



Code	Item	SWL (kg)	Bed Size (mm)
R19-10	Turntable Truck 1t	1000	1500 x 800
R19-101	Turntable Truck 2t	2000	1500 x 800

Sack Truck

General purpose sack truck enables a wide range of lift and shift options for items up to 200kg.

- Hard or pneumatic tyre options
- Wide steel foot plate



Code	Item	SWL (kg)	Weight (kg)
R19-08	Sack Truck	200	10

Stair Climbing Truck

An excellent solution for manoeuvring heavy loads up and down stairs.

- Available in manual or powered versions




Code	Item	SWL (kg)	Weight (kg)
R19-09	Stair Climbing Truck - Manual	150	11.5
R19-09	Stair Climbing Truck - Powered	190	25

Nylon Machine Skates

A range of nylon machine moving skates for moving heavy and awkward loads. The steerable front skate provides excellent manoeuvrability.

- Should only be used on smooth surfaces



Code	Item	Weight (kg)
R19-12	Machine Skates 6 tonne	33
R19-121	Machine Skates 12 tonne	72
R19-122	Machine Skates 20 tonne	105

Forklifts

From unloading lorries to moving equipment, forklift trucks give the user the ability to move site equipment quickly around the workspace. Hireforce offers a wide range of machines in gas, diesel and electric.

- Speak to a member of our team to find out more about our full range



Code	Item	Power	Capacity (kg)
X20-041	Counterbalance Forklift	Diesel	1,500-16,000
X20-042	Counterbalance Forklift	Gas	1,500-9,000
X20-043	Counterbalance Forklift	Electric	1,500-5,500



Plant

Hireforce
TOOL & EQUIPMENT HIRE

Micro Digger

Micro diggers are ideal for small building works or where space is an issue. A highly manoeuvrable machine equipped with retractable tracks that enable the digger to pass through most doorways whilst still being powerful enough for small building and landscape works.

- Retractable tracks
- Zero tail swing
- 2 travelling speeds
- Wide variety of attachments available



Code	Item	Model	Weight (kg)	Min Width (mm)	Digging Depth (m)	Digging Reach (m)	Dump Height (m)
X20-010-P0614	Micro Digger	U10-3	1120	750	1.8	3.3	2.21

Mini Digger

An industry standard machine which is suitable for a wide range of tasks for small to medium projects. Variable tracks allow the operator to expand or retract depending on the task.

- Wide variety of attachments are available
- Canopied or cabin versions available



Code	Item	Model	Weight (kg)	Min Width (mm)	Digging Depth (m)	Digging Reach (m)	Dump Height (m)
X20-010-P0615	Mini Digger	KX016-4	1540	990-1240	2.25	3.73	2.29

Excavators > 2.5T

For larger jobs, we offer a range of excavators from 2.5t upwards. These machines feature the latest in low emissions and high power to weight ratios to make short work of even the most demanding project.

- Speak to a member of our team to find out about our full range



Code	Item	Model	Max Digging Depth (m)	Max Reach (m)	Height (m)	Min Width (m)	Weight (kg)
X20-010-P0616	3t Excavator	KX027-4	2.74	4.72	2.42	1.40	2590
X20-010-P0617	5t Excavator	U48-4	3.38	5.85	2.55	1.96	4775
X20-010-P0618	8t Excavator	KX080-4	4.60	7.33	2.54	2.20	8240

Tracked Dumper - High Tip

Highly manoeuvrable tracked dumper that can operate where larger dumpers cannot. Compact dimensions allow it to pass through a standard doorway.

- Can be used for loading as well as carrying, thanks to its high tip function
- Electric start as standard
- 2 speed tracking for precision and control



Code	Model	Max Speed (km/hr)	Width (mm)	Tipping Height (m)	Max Payload (kg)	Weight (kg)
X20-020-P0628	JCB HTD5	4	690	1.45	500	475

1T High Tip Dumper

Rugged 1t site high tip dumper for carrying and tipping a variety of site materials. Perfectly suited to work alongside mini diggers on small to medium building projects.

- Narrow overall width
- High tip design allows easy tipping into skips and trucks
- ROPS fitted as standard



Code	Model	Max Speed (km/hr)	Load Over Height (mm)	Max Payload (kg)	Height (mm)	Width (mm)	Weight (kg)
X20-020-P0629	JCB 1T-2	11.9	2392	1000	2792	1106	1515

Dumpers > 2.5T

Dumpers are available up to 9 tonnes for the toughest of construction jobs. Available with front tip or power swivel bucket. All dumpers come with ROPS fitted as standard.

- Speak to a member of our team to find out about our full range



Code	Item	Model	Heaped Bucket Capacity (l)	Max Payload (kg)	Width (mm)	Height (mm)	Weight (kg)
X20-020-P0630	3t Dumper	Mach 570	1680	3000	1650	3092	2010
X20-020-P0631	3t Swivel Dumper	Mach 2073	1640	3000	1650	3092	2200
X20-020-P0632	6t Dumper	Mach 2265	3400	6000	2240	3430	4270
X20-020-P0633	6t Swivel Dumper	Mach 2266	3150	6000	2240	3430	4470
X20-020-P0634	9t Dumper	Mach 2290	4600	9000	2444	3530	4820

Power Barrow

At only 716mm wide, this compact motorised 4-wheel drive mini dumper gives flexibility and manoeuvrability in small site spaces. With a payload of 300kg, its 4 x 4 all-terrain drive system means it can handle even the most difficult site environment.

- Climbing and descent up to 20° inclines
- Four forward speeds (and one reverse)



Code	Max Speed (km/hr)	Capacity (l)	Width (mm)	Max Payload (kg)	Weight (kg)
Q18-07	6	113	716	300	155

Twin Drum Pedestrian Rollers

Vibratory walk behind twin drum rollers are ideal for asphalt construction and earthworks projects. High compaction power provides outstanding surface coverage.

- Variable speed and vibration control
- Vibration reduced handle



Code	Model	Compaction Width (mm)	Centrifugal Force (kN)	Width (mm)	Weight (kg)
X20-030-P0636	BW65H	650	22	762	757
X20-030-P0638	BW75H	750	40	865	1010

Ride On Rollers

Vibratory twin drum ride on rollers for heavy duty site work such as compacting asphalt, coarse gravel and other substrates.

- ROPS bar fitted as standard



Code	Model	Compaction Width (mm)	Centrifugal Force (kN)	Width (mm)	Height (mm)	Weight (kg)
X20-030-P0639	BW80-AD5	800	17	856	2304	1550
X20-030-P0640	BW100-AD5	1000	17	1056	2304	1700
X20-030-P0641	BW120-AD5	1200	34	1072	2568	2700

Trench Roller

Trench rollers are specially designed for the compaction of cohesive soils. This makes them ideal for compacting excavations, foundation sub bases, roads and parking lots. These compact machines are designed for working in tight spots with an articulated central joint for maximum manoeuvrability.

- Remote control operation to maximise operator safety and visibility



Code	Model	Compaction Width (mm)	Centrifugal Force (kN)	Width (mm)	Height (mm)	Weight (kg)
X20-030-P0750	BMP8500	850	72	850	1275	1595

Telehandlers

One of the most versatile machines on any construction site, telehandlers will perform a wide range of duties. From moving site materials, earth shifting and loading and unloading, these machines are available with a wide range of attachments for any task.

- Speak to a member of our team to find out about our full offering



Code	Model	Max Lift Capacity (kg)	Max Lift Height (m)	Lift Capacity at Full Height (kg)	Max Reach (m)	Lift Capacity at Full Reach (kg)	Width (mm)
X20-40-P0642	JCB 520-40	2000	4.0	2000	2.59	1000	1560
X20-40-P0643	JCB 525-60	2500	6.0	1750	3.06	800	1840
X20-40-P0644	JCB 531-70	3100	7.0	2400	3.70	1250	2230
X20-40-P0646	JCB 533-105	3300	10.2	3300	3.83	1050	2290
X20-40-P0648	JCB 540-140	4000	13.8	4000	9.25	1250	2350
X20-40-P0649	JCB 540-170	4000	16.7	2500	12.50	600	2440

Water Bowsers

Road tow water bowser with a capacity up to 1100 litres. Features a tap at the rear for dispensing.

- Only tow on road when empty
- Not suitable for drinking water



Code	Item	Capacity (l)	Weight (kg)
Q18-01	Towable Water Bowser	1100	260

IBC Water Cubes

1000l static IBC water container for storing water on site. Features a steel cage and plastic pallet to enable the cube to be moved by a forklift without damage.

- Two inch outlet valve for easy dispensing



Code	Item	Capacity (l)	Weight Empty (kg)	Weight (kg)
A01-141	IBC Water Cube	1000	60	1060

Fuel Bowsers

Road tow Abbi fuel bowsers enable you to transport diesel where it is needed. These bowsers are double skinned and feature a dispensing pump at the rear.



Code	Item	Capacity (l)	Weight Empty (kg)	Weight (kg)
Q18-02	Road Tow Fuel Bowser - Medium	950	660	1697
Q18-03	Road Tow Fuel Bowser - Large	1940	1075	3093



Welfare and Accommodation

Hireforce Welfare

Site Canteens

Anti vandal site canteen unit supplied with cooker, fridge, worktop, sink and water heater. Units can also be supplied as office/canteen combinations.

- Fitted with wall heater
- Fully insulated
- Lighting and electrics provided



Code	Length (ft)	Width (ft)
X22-020-P0697	12	8
X22-020-P0698	16	8
X22-020-P0699	20	9
X22-020-P0700	24	9
X22-020-P0701	32	10

Towable Welfare Units

Towable, lightweight mobile welfare units provide all your on-site welfare requirements in one self contained unit and are fully HSE compliant.

Units feature a canteen with cooking facilities, hot and cold water, seating for operatives and a drying room. High-security windows and an all steel construction make the unit theft and vandal resistant once it is in-situ.


- Recirculating toilet
- Forearm wash basin
- Low energy LED lights with PIR function for an environmental solution and reduced costs



Code	Person	Towing Length (mm)	Length (mm)	Width (mm)	Weight (kg)
W24-01	6 Person	4800	3610	2420	1700
W24-02	8 Person	6120	4910	2420	2145
W24-03	10 Person	6120	4910	2420	2145
W24-04	12 Person	8220	6980	2530	2733

12 6 Person
WELFARE UNIT

EasyCabin ecoSmart



x6

1800kg
GROSS WEIGHT

1650kg
UNLADEN WEIGHT

W 2420mm
L 3615mm
H 2700mm

LED
UP TO **4h**
UP TO **6h**
BATTERY POWER

DIESEL TYPES
RED/WHITE

OIL TYPE
SAE10W-30 (1.3L)

1-2 HOURS
FULL CHARGE

HSE
HSE COMPLIANT

58dBA @7m
QUIET GENERATOR

Movability

- Lightweight easy to tow
- Soft cushioning hydraulic system
- Balanced loading, with generator in front for better towing
- 13" wheels: Easily changed at the side of the road in the event of a puncture
- Built in road lights and number plate holder
- Accidental collision can occur, however our corners are designed to absorb impact

Sustainability


- Fully insulated wall and roof system with no cold bridging
- PIR activated LED lighting and hot water without the need for generator
- Low noise polution
- Low fuel consumption
- Low CO_2 emissions
- Automatic timed generator timed shut off
- Low energy LED road lights

Facilities

- Easy to use canteen facilities; kettle & microwave
- Spacious, comfortable seating area
- Warm water washing facilities
- Recirculating toilet
- Forearm wash basin
- All interior and exterior surfaces are durable and wipe clean
- Spacious drying room with clothes hanging facility
- Plug and play sockets; USB's without the generator and 230v sockets




Site-ready in just 30 seconds!




STEP 1

- Un hitch
- Handbrake on
- Turn generator on



STEP 2

- Wind up jockey wheel
- Turn **on** isolator switch in cabin



STEP 3

- Use hydraullic controls
- Turn **off** isolator switch in cabin
- You're parked & secure



110L

TOILET/WASTE CAPACITY



WASTE **WATER**
WATER CAPACITY





PAYLOAD



DIESEL WATER



250kg TOOLS



Fully loaded and site ready, there is a spare 250kg payload for your tools.

Call our team for further information

Hireforce Welfare

Portable Toilet

Our single occupancy site portable toilets are rugged and easy to keep clean. Available with a hand wash basin and soap dispenser, they are available in hot or cold water versions.

- All toilets are serviced weekly
- Other toilets are available
- Ask a member of our team to find out about our full range



Code	Item	Height (mm)	Base Depth (mm)	Base Width (mm)	Weight (kg)
W24-05	Portable Single Toilet – Cold Wash	2240	1219	1118	80
W24-06	Portable Single Toilet – Hot Wash	2240	1676	1118	85

Accessible Toilet

This larger portable toilet provides enhanced comfort and space for users. Features ground level wheelchair access and sturdy handrails to both sides of the unit.

- All toilets are serviced weekly
- Easy to clean interior
- Paper towel dispenser



Code	Item	Height (mm)	Base Depth (mm)	Base Width (mm)	Weight (kg)
W24-07	Disabled Person's Portable Toilet	2298	1676	2197	141

Urinal Blocks

These portable urinal blocks are ideal for events. Accommodating 4 people at once, these cut down on queues and the increased waste capacity means less toilets will be needed.

- Additional top screens offer more privacy to users
- Linkable to provide one emptying point
- Stackable system reduces transport costs



Code	Item
W24-08	Single Portable Urinal
	4 person Urinal

Hand Wash Station

Two station handwashing facility provideds portable on-site sanitation and can help to reduce toilet queues at events. Features foot operated pumps for maximum hygiene.

- Can be placed back to back to create 4 person station
- Soap dispenser provided



Code	Item
W24-11	Hand Wash Station – Double

Site Offices

Secure anti-vandal site offices provide perfect on site temporary working spaces. Units are stackable with staircase options available. A variety of furniture options are also available.

- Wall heaters fitted as standard
- Lighting and electrics provided
- Fully Insulated



Code	Length (ft)	Width (ft)
X22-020-P0751	12	8
X22-020-P0752	16	8
X22-020-P0753	20	9
X22-020-P0754	24	9
X22-020-P0755	32	10

Site Containers

Anti-vandal steel site storage containers comply to the highest security standards. Can be ordered with additional shelving units.



Code	Length (ft)	Width (ft)
X22-020-P0691	10	8
X22-020-P0692	12	8
X22-020-P0693	16	8
X22-020-P0694	21	9
X22-020-P0695	24	9
X22-020-P0696	32	10

A

Abbi Bowser 153
Access Platforms 23
Access Tower 16
Accessible Toilet 158
Acro Props 38
Advanced Guardrail Tower 16
Air Breaker 61
Air Cleaner 103
Air Compressor - Portable 111
Air Compressor - Road Tow 61
Air Conditioner 101
Air Hoist 134
Airless Sprayer 110
All Terrain Pallet Truck 141
Angle Grinder 44
Arbortech Wall Saw 46
Articulated Boom Lift 32
Aufofeed Screwdriver 85

B

Barrel Pump 114
Barrier 35
Battery Cut Off Saw 46
Battery Drill 54
Battery Light 90
Beam Clamp 136
Beam Screed 68
Beam Trolley 136
Bin Heater 99
Block and Tackle 133
Block Cart 141
Block Grab 140
Block Splitter - Hydraulic 50
Block Splitter - Manual 50
Blow Out Lance 61
Boards 25
Bomag Roller 72
Boom Lift 32
Bowser 153
Breakers 59
Brush Cutter 116
Builders Steps 21
Bumpa Hoist 137

C

Cabinet Heater 99
Cable Locator 125
Camera 126
Canteen 155
Carpet Cleaner 109
Carpet Drying Fan 102
Cartridge Hammer 84
Catalytic Heater 99
Cement Mixer 63
Centrifugal Pump 114
Chain Hoists 133
Chain Pipe Cutter 96
Chainsaw 119
Cherry Picker 32
Chippers 121
Chop Saw 48
Circuit Breaker 88
Circular Saw 78
Cobra Reels 126
Combi Drills 55
Combination Ladder 23
Compactor Plate 71
Compressor – Road Tow 61
Compressors – Portable 111
Concertina Barrier 41
Concrete Breakers 59
Concrete Planer - Hand Held 65
Concrete Poker 66
Conduit Bender 96
Cones 37
Containers 160
Convector Heater 98
Conveyors 137
Cordless Angle Grinder 44
Cordless Circular Saw 78
Cordless Drill 54
Cordless Impact Wrench 85
Cordless Jigsaw 80
Cordless Nail Gun 84
Cordless Reciprocating Saw 80
Counterbalance Forklift 144
Cross Line Laser 124
Crowd Control Barrier 35
Cube Moulds 69
Cultivator 117
Cut-off Saw 45

D

Defender Lights 89
Dehumidifier 103
Delta Deck 22
Detectors 127
Diamond Drill - Dry 56
Diamond Drill - Wet 56
Diamond Drilling Rig 57
Diaphragm Pump 114

Digger 146
Disc Cutter 45
Disc Cutter Trolley 45
Door Trimming Saw 80
Double Ladder 23
Drain Bungs 42
Drain Camera 126
Drain Rods 42
Drain Stoppers 42
Drain Testing Kit 42
Drill 53
Dry Wall Sander 83
Drywall Screwdriver 85
Ducting 100
Dumpers 148
Dumpy Level 123
Dust Extraction Unit 110
Dust Guard 44

E

Easi Float 69
Easy Screed 68
Edging Sander 83
Electric Compressor 111
Escape Kit 128
Excavators 147
Extension Forks 132
Extension Leads 88

F

Fall Arrest Bags 130
Fall Arrest Block 129
Fall Protection System 130
Fans 102
Fan Heater 98
Fencing 36
Festoon Lights 88
Firepoint Trolley 41
Firesafe 39
Flipover Saw 79
Floodlights 89
Floor Cleaner 109
Floor Grinder 64
Floor Planer 64
Floor Polisher 109
Floor Sander 83
Floor Saw 47
Floor Scabbler 61
Floor Scrubber 109
Floor Tile Stripper 65
Fluorescent Lights 89
Folding Tower 20
Forced Action Mixer 63
Forklift 144
Forward/Reverse Compactor 71
Fresno Broom 69
Fuel Bowser 153
Fuel Kaddi 40
Fuel Vault 39
Fume Extractor 103

G

Gantry 136
Gas Cage 40
Gas Detector 127
Gas Escape Kit 128
Gas Heater 100
Gas Torches 42
Generator 74
Genie Lift 132
Glass Lifter 136
Globe Light 90
Grinder 44
GRP Steps 21

H

Hammer Drills 55
Hand Pipe Threader 93
Hand Tamp 69
Hand Wash Station 159
Handrail System 24
Harness 129
Heater Transformer 87
Heaters 98
Hedge Trimmer 116
Henry Vacuum 107
Heras Fencing 36
High Frequency Poker 67
Hoarding Panels 27
Hoists 133
Hot Air Gun 111
Hydraulic Block Splitter 50
Hydraulic Breaker 60

I

Impact Wrench 85
Indirect Fired Heater 100
Infra Red Heater 99
Inspection Light 90
Interior Laser 124

J

Jigsaw 80
Junction Boxes 88

K

Kerb Grab - Automatic 140
Kerb Lifter 138

L

Ladder Stay 23
Ladder Stop 123
Ladders 23
Laminate Trimmer 81
Lanyards 129
Laser Level 123
Lawn Aerator 117
Lawn Mower 117
Lawn Rake 119
Lawn Scarifier 119
Leaf Blower 117
Lever Hoist 133
Lift Shaft Tower 19
Lifting Chains 135
Lighting Tower 91
Load Lifter 132
Log Splitter 120
Long Reach Hedge Trimmer 116
Long Reach Pallet Truck 141
Low Level Access 28
LPG Space Heater 100

M

Machine Skates 144
Magnetic Drills 53
Magnetic Light 90
Manhole Cover Lifter 140
Masonry Saw Bench 47
Masonry Struts 38
Mast Boom Lift 31
Mast Lift 31
Material Lift 132
Measuring Staff 124
Metal Detector 127
Metal Nibbler 48
Metal Shears 48
Mi Tower 18
Micro Digger 146
Mig Welder 76
Mini Digger 146
Minifor Hoist 134
Mitre Saw 78
Mixers 63
Mobile Roof Anchor 130
Mouse 126
Mower 118
Multi Tool 81

N

Nail Guns 84
Nano Lift 27
Nibblers 48
Noise Meter 127

O

Oil Bucket 96
Oil Filled Radiator 98
Orbital Sander 82

P

Paddle Drill 54
Paint Sprayer 110
Pallet Trucks 21
Palm Sander 82
Paslode Nailer 84
Paving Stone Lifter 139
Peco Lift 27
Pedestrian Roller 72
Percussion Drill 53
Pipe Benders 96
Pipe Cutters 96
Pipe Cutting Saw 95
Pipe Drilling Rig 57
Pipe Freezer 95
Pipe Jointing Tool 94
Pipe Laser 124
Pipe Pressure Tester 95
Pipe Stand 96
Pipe Threader 93
Pipe Vice And Stand 96
Planer 81
Plasterboard Trolley 141
Plasterers Lights 89
Plate Compactor 71
Platform Steps 21
Podiums 20
Poker Drive Unit 66
Poker Flex 66
Pole Saw 119
Pole Scabbler 61
Portable Compressor 111

Portable Power Threader 93
Portaloo 158
Post Hole Borer 120
Power Barrow 150
Power Float 67
Power Tower 27
Powered Access Platform 29
Precision Cable Locator 125
Press Fit Tool 94
Pressure Tester 95
Pressure Washer - H/Duty 106
Pressure Washer Bowser 106
Pro Barrier 35
Props 38
Puddle Pump 113
Pumps 109
Pump Hose 114
Push Around Access 27

R

Radiator 100
Radios 128
Rail Tile Saw 51
Random Orbit Sander 78
Ratchet Hoist 129
RCD 88
Rebar Cutter 54
Rebar Locator 127
Rechargeable Light 90
Reciprocating Saw 80
Recovery Tripod & Winch 128
Red Rad 99
Resin Mixer 63
Ride On Roller 151
Right Angle Drill 53
Road Breaker 63
Road Compressor 61
Road Cones 37
Road Plates 37
Road Signs 37
Rollers 150
Roof Anchor 130
Roof Ladders 23
Rotabroach Cutter 53
Rotavator 117
Router 81
Rubbish Chute 41
Rubbish Chute Hopper 41
Rubble Truck 142

S

Sack Truck 142
Safety Harness 129
Safety Tripod And Winch 128
Sanders 82
Saw Table 79
Scabbler 61
Scaffold Boards 25
Scaffold Hoist 135
Scaffold Tower 16
Scissor Lift 29
Scrubber Dryer 109
SDS Hammer Drill 53
Signal Generator 125
Single Person Tower 17
Site Canteen 155
Site Container 160
Site Level 123
Site Mixer 63
Site Offices 160
Site Radios 128
Site Store 39
Site Transformer 87
Skates 144
Skip Loader 148
Slab Lifter 139
Snorkel 28
Solo Tower 18
Sonde 126
Space Heater 100
Staff 124
Staging Boards 24
Staging Handrail 24
Stair Climbing Truck 143
Stairway Tower 18
Steam Cleaner 105
Steel Lock-Up 160
Step Up Transformer 87
Steps 21
Stihlsons 96
Stone Magnet 140
Stop/Go Sign 37
Storage Container 158
STR Floor Grinder 64
Strimmer Poker 66
Strimmer 116
Strongboys 38
Strongwall Barrier 35
Stump Grinder 120
Submersible Pump 113
Suction Lifter 138
Superboards 24
Surveyors Staff 124

T

Table Saw 79
Tandem Roller 151
Tek Screwdriver 85
Telehandler 152
Telescopic Boom Lift 32
Test Cube Moulds 69
Test Weights 135
Tig Welder 76
Tile Cutter 51
Tile Lifting Attachment 61
Tile Saw 51
Tile Stripper 65
Tilt Truck 142
Tipping Skip 142
Toilets 158
Tool Vault 39
Total Station 123
Tower Light 91
Tower Scaffold 16
Track Mounted Boom 33
Tracked Dumper 148
Traffic Separator 35
Trailer Boom Lift 33
Transformer 87
Tree Stump Grinder 120
Trench Covers 37
Trench Rammer 72
Trench Roller 151
Trench Struts 41
Trestle Handrail 25
Trestles 25
Triple Headed Scabbler 61
Triple Ladder 23
Tripod 124
Tripod And Winch 128
Turbo Fan 102
Turf Lifter 118
Turntable Truck 143
Two Stroke Breaker 60

U

U-Heads 38
Urinal - Portable 159

V

Vacuum Cleaner 107
Vacuum Lifter 139
Vibrating Beam Screed 68
Vibrating Plate 71
Vibrating Roller 150

W

Wacker Plate 71
Walkie Talkies 128
Wall Chaser 46
Wall Saw 46
Wallpaper Stripper 111
Warehouse Fan 102
Washer Bowsers 106
Water Boiler 40
Water Bottle 45
Water Bowser 153
Water Cube 153
Welder 76
Welder/Generator 76
Welding Extension Leads 76
Welding Mask 76
Welding Remote 76
Welding Screen 76
Welfare Unit 155
Wet Vacuums 107
Wood Chippers 121
Wood Planer 81
Wood Saw 78
Worktop Jig 81
Work Light 90

Y

Youngman Boards 24

Hireforce
TOOL & EQUIPMENT HIRE

Birmingham
323 Summer Lane
Birmingham
B19 3RG

T: 0121 794 8190
E: birmingham@hireforce.com

Leeds
Unit 7, Butterley Street
Leeds
LS10 1AW

T: 0113 547 7070
E: leeds@hireforce.com

Sheffield
33 Worksop Road
Sheffield
S9 3TG

T: 0114 212 5222
E: sheffield@hireforce.com

Cambridge
2 - 3 Brickyard Ind Estate
Coldhams Road
Cambridge
CB1 3 EW

T: 01223 739 555
E: cambridge@hireforce.com

Leicester
Lyon Close
Wigston
Leicester
LE18 2BJ

T: 0116 281 0621
E: leicester@hireforce.com

Hireforce Welfare
T: 0345 350 3793
E: hiredesk@hireforcewelfare.com

Hireforce Non-Mechanical
T: 0330 390 4250
E: hiredesk@hireforce-nonmech.com

Derby
Gate 2 Precision Park
Bateman Street
Derby
DE23 8JQ

T: 01332 854 448
E: derby@hireforce.com

Nottingham
Unit B, Acorn Park
Redfield Road
Nottingham
NG7 2TR

T: 0115 784 3321
E: nottingham@hireforce.com

Hireforce One
Nationwide Hire Desk

T: 0345 355 3230
E: hiredesk@hireforce-one.com

Head Office & Enquiries
E: enquiries@hireforce.com **T:** 0345 355 3249 **www.hireforce.com**

Opening Hours
Depots: Mon-Fri: 7:30am to 5:00pm
Head Office: Mon-Fri: 9:00am to 5:00pm